

Price List

VIBLES BLOOD CULTURE BOTTLES

Vibles blood culture bottles are used for the detection of micro-organisms in blood synovial pleural fluids. Cerebrospinal and bone marrow aspirates. These bottles are available in two sizes. Adult (50 ml) and are supplemented with 0.05 per cent sodium polyanethol sulphonate (SPS). SPS, is a nontoxic anticoagulant, which is anticomplimentary and antiphagocytic, it has been shown to be most effective in inhibiting the bactericidal activity of blood and being least toxic to organisms involved.

VIBLES BLOOD CULTURE BOTTLES ARE STABLE AT ROOM TEMPERATURE.

Code No.	Product Name	Intended Use	Packing	Price /bottle
BC 1101 (A)	Vibles Glucose Broth (Adult)	Is general-purpose medium used for cultivation of micro-organisms from blood and other body fluids. Presence of glucose helps in good growth of various organisms from these sites.	50 ml.	50/-
BC 1101 (P)	Vibles Glucose Broth (Pediatric)	Uses are same as above, except these bottles are used for pediatric patients.	25 ml.	40/-
BC 1102 (A)	Vibles Tryptic Soy Broth (Adult)	A Versatile medium, Contains Vibles tryptone and soy peptone, which supports the luxuriant growth of many fastidious organisms, without addition of serum. The superior growth promoting properties of Vibles Tryptic soy broth makes it especially useful for isolation of organisms from blood and other body fluids.	50ml.	50/-
BC 1102 (P)	Vibles Tryptic Soy Broth (Pediatric)	Uses are same as above, except these bottles are used for pediatric patients.	25ml	40/-
BC 1103 (A)	Vibles Thioglycollate Broth (Adult)	Is used for cultivating microaerophilic organisms from blood and other body		50/-

		fluids. Presence of sodium Thioglycollate lowers the oxidation-reduction potential of the media. Dextrose has been added to improve the growth of various fastidious anaerobes.	50ml.	
BC 1103 (P)	Vibles Thioglycollate Broth (Pediatric)	Uses are same as above, except these bottles are used for pediatric patients.	25 ml.	40/-

Code No.	Product Name	Intended Use	Packing	Price /bottle
BC 1104 (A)	Vibles Brain Heart Infusion (Adult)	A highly nutritive broth, used for cultivating a variety of fastidious micro-organisms including <i>Streptococci</i> , <i>Pneumococci</i> and <i>Meningococci</i> . This is also recommended for the cultivation of Fungi and Yeast.	50ml.	50/-
BC 1104 (P)	Vibles Brain Heart Infusion (Pediatric)	Uses are same as above, except these bottles are used for pediatric patients.	25 ml.	40/-
BC 1105 (A)	Vibles Bile Broth (Adult)	Is recommended for the selective isolation of <i>Salmonella</i> group of organisms from body or body fluids. This media restricts the growth of <i>E.coli</i> and <i>Proteus sps.</i>	50 ml.	50/-
BC 1105 (P)	Vibles Bile Broth (Pediatric)	Uses are same as above, except these bottles are used for pediatric patients.	25ml	40/-
BC 1106	Vibles Blood Culture Bottle (Pediatric)	Multi Pack Size for Pediatric Patients any Broth.	(6X25 ml.)	200/-
BC 1107	Vibles Blood Culture Bottle (Adult)	Multi Pack Size for Adult Patients any Broth.	(6X50 ml.)	260/-

Vibles Blood Culture Bottles are Also Available for Pediatric in 25ml. As Mentioned above

**VIBLES WATER / FOOD / DIARY / HYGIENE /
ENVIRONMENTAL
MICROBIOLOGICAL ANALYSIS KITS**

For routine microbiological analysis of water, food and diary products, various kits have been introduced which normally cover all the samples encountered in these areas. Kits have also been introduced which cover personal, equipment and environmental hygiene. The procedure is enclosed with each kit.

Code No.	Product Name	Intended Use	Contents in the Kit	Price in Rs. For	
				1 Kit	10 Kits
FM 1481	Vibres Water Analysis Kit (Presumptive test)	The Kit is used to enumerate the coliform count from a sample of drinking water, swimming pool Water, Ice-cubes/waste water. The Results obtained can be compared with the MPN index table to get the MPN of the sample under investigation.	1.MacConkey Broth (1x), 5ml – 5 tubes 2.MacConkey Broth (2x), 10ml– 5 tubes 3.MacConkey Broth (2x), 50ml– 5 tubes 4Disposable syringes with needle (10ml.) 1 No.	125/-	1100/-
FM 1482	Vibres Water Analysis Kit (Confirmatory test)	This is a confirmatory test kit for the Microbiological analysis of drinking water, Process water, swimming pool water, Ice-cubes/ Waste water. This kit confirms the presence of coliform organisms from the water sample.	1. Brilliant green lactose bile broth 2% (1x) 5ml.- 3 tubes. 2. EC Broth (1x) 5ml.-2 tubes 3. Eosin methylene blue (prepared media) – 2 plates.	75/-	650/-

FM 1483	Vibres Food/Diary/ Quality Assurance Kit.	Food/Diary/Quality assurance kit is used to detect plate count, coliform count, <i>E.coli</i> , Yeast and mold count from any food sample	1. Buffered Peptone water, 100ml. – 2 bottles 2. Sterile disposable petri-Dishes – 4 Nos 3. Plate count agar – 2 tubes. 4. Lauryl Sulphate tryptose Broth, 9ml. – 9 tubes 5. Brilliant Green Lactose bile broth 5 tubes. 6. E.C. Broth – 5 tubes 7. Antibiotic sol. – 1 vial 8. Glucose yeast extract Agar – 2 tubes 9. Buffered Peptone water, 9ml. – 5 tubes 10. Sterile disposable syringes 2 ml. – 5 Nos.	260/- 2400/-
---------	--	--	--	--------------

FM 1484	Vibles Food Poisoning Detection Kit	This kit is used to detect the food poisoning causing bacteria from any food sample. The food causing organisms include Salmonella , Staphylococci and Clostridium Sps.	<ol style="list-style-type: none"> 1. Buffered Peptone water 100 ml. – 2 bottles 2. Tetrathionate broth 100ml – 1 bottle . 4. Brilliant green/phenol red agar, 1 plate 5. Bismuth Sulphite-1 Plate 6. XLD agar – 1 plate 7. Baird Parker agar-2 plates 8. Sulphite polysulphadiazine plates 9. Disposable steriles Petridishes – 2 	225/- 2150/-
FM 1485	Vibles Personal Hygiene Kit	This kit can be used to detect the Staphylococcal count , coliform, E.coli count from the hands, nails and nasal cavities of the food handlers.	<ol style="list-style-type: none"> 1. Normal saline (10ml.) – 1 bottle 2. MacConkey Agar prepared media) – 1 plate 3. Baird Parker Agar (prepared media) – 1 plate 4. Disposable swab pouch containing 3 swabs – 1 No 	60/- 550/-

<u>Code No.</u>	<u>Product Name</u>	<u>Intended Use</u>	<u>Contents in the Kit</u>	<u>Price in Rs. For 1 Kit 10 Kits</u>
-----------------	---------------------	---------------------	----------------------------	---------------------------------------

FM 1486	Vibles Personal Hygiene Kit	This kit besides being used for the detection of <i>Staphylococci</i> , Coliform, <i>E.Coli</i> organisms can also be used for the detection of standard plate count and yeast mold count from the food handlers	1.Normal saline (10ml)- 1 bottle 2. MacConkey Agar (prepared media) – 1 plate 3.Baird parker Agar (prepared media)–1 plate 4.Disposable swab touch containing 3 swabs- 1 No 5. Plate count agar prepared media)–2 tubes 6.Glucose yeast extract agar prepared media) 1 tube 7.Disposable sterile peridishes – 3 Nos.	95/-	850/-
---------	------------------------------------	--	--	------	-------

VIBLES DEHYDRATED CULTURE MEDIA

The basic constituents of the dehydrated culture media are selected from the best sources available. Each batch is tested with standard strains of bacteria relevant to that particular media.
--

The dehydrated Culture media are available in 500g, 100g. Store at room temperature.

Code No.	Product Name	Intended Use	Packing	Price /bottle
VBDM-01	Vible AC Agar	For cultivation of a wide variety of microorganisms particularly for sterile testing.	500 gm	1923
VBDM-02	Vibles AC Broth	For cultivation of common aerobes and sterility testing of solutions and biological products without mercurial preservatives.	500 gm	1813
VBDM-03	Vibles Acetamide Agar (Twin Pack)	For differentiation of non fermentative gram-negative bacteria, particularly <i>Pseudomonas aeruginosa</i> .	500 gm	1958
VBDM-04	Vibles Acetamide Broth (Twin Pack)	For conformation of <i>Pseudomonas aeruginosa</i> in water samples.	100 gm 500 gm	439 1977
VBDM-05	Vibles Acetate Agar	For the isolation and cultivation of <i>Leuconostoc</i> and <i>Pediococcus species</i> .	500 gm	2096
VBDM-06	Vibles Acetate Differential Agar	For the differentiation of <i>Shigella species</i> from members of the genus <i>Esherichia</i> .	500 gm	1874
VBDM-07	Vibles Acetobacter Agar (Glucose)	For maintenance of glucose positive <i>Acetobacter species</i> .	500 gm	1909
VBDM-08	Vibles Acetobacter Agar (Mannitol)	For maintenance of mannitol positive <i>Acetobacter species</i> .	500 gm	1909
VBDM-09	Vibles Acid Broth	For the cultivation of acid tole	500 gm	1909
VBDM-10	Vibles Actinomyces Agar	For cultivation and maintenance of the enaerobic <i>Actinomyces species</i> .	500 gm	1805
VBDM-11	Vibles Actinomyces Broth	For cultivation and maintenance of the enaerobic <i>Actinomyces species</i> .	500 gm	1703
VBDM-12	Vibles Aeromonas Isolation Medium Base	For selective and differential isolation of <i>Aeromonas hydrophila</i> from clinical and environmental specimens.	500 gm	2423

Code No.	Product Name	Intended Use	Packing	Price /bottle
----------	--------------	--------------	---------	---------------

VBDM-13	Vibles Agar Medium B (Casein Soyabean Digest Agar)	A general purpose medium used for cultivation of a wide variety of microorganisms and for microbiological assay of different antibiotics in pharmaceutical procedures in accordance with EP.	100 gm 500 gm	393 1571
VBDM-14	Vibles Alkaline Peptone Water	For enrichment of <i>Vibrio species</i> .	100 gm 500 gm	358 1430
VBDM-15	Vibles Alternative Thioglycollate Medium (NIH Thioglycollate Broth)	For sterility testing of turbid or viscous biological products.	100 gm 500 gm	186 714
VBDM-16	Vibles Alternative Thioglycollate Medium	For sterility testing of turbid or viscous biological products in accordance with USP	100 gm 500 gm	189 743
VBDM-17	Vibles Amies Transport Medium w/ Charcoal	For transportation and preservation of microbiological specimens.	100 gm 500 gm	431 1723
VBDM-18	Vibles Anaerobic Agar	A general purpose medium for the cultivation of anaerobic bacteria, especially <i>Clostridium species</i> .	500 gm	1924
VBDM-19	Vibles Anaerobic Agar w/o Dextrose	For carbohydrate fermentation studies of <i>Clostridia</i> , <i>Streptococci</i> and other organisms.	500 gm	1924
VBDM-20	Vibles Anaerobic Basal Agar	Recommended for the growth of anaerobic microorganisms, particularly <i>Bacteroides sp</i> and other fastidious anaerobes.	500 gm	2348
VBDM-21	Vibles Anaerobic Basal Broth	Recommended for the growth of anaerobic microorganisms, particularly <i>Bacteroides sp</i> and other fastidious anaerobes.	500 gm	2348
VBDM-22	Vibles Anaerobic Blood Agar Base	Recommended for the isolation and cultivation of Group A and Group B Streptococci from throat cultures and other clinical samples.	500 gm	1924
VBDM-23	Vibles Anaerobic Egg Agar Base	For detection of <i>Clostridium perfringens</i> in food samples.	500 gm	2039

Code No.	Product Name	Intended Use	Packing	Price /bottle
----------	--------------	--------------	---------	---------------

VBDM-24	Vibles Anaerobic Fermentation Medium Base	For the detection of fermentation reactions of anaerobic microorganisms.	500 gm	1924
VBDM-25	Vibles Anaerobic Thioglycollate Medium Base	Recommended for the cultivation of anaerobes.	500 gm	1617
VBDM-26	Vibles Anaerobic Tryptone Soya Agar	For screening anaerobes in cosmetic products such as talcum powder.	500 gm	2039
VBDM-27	Vibles Anaerobic Blood Agar Base	For cultivation of anaerobic microorganisms, including very fastidious organisms from clinical specimens.	500 gm	2039
VBDM-28	Vibles Andrare Peptone Water	As a basal medium, which with carbohydrate addition is used to study fermentation reactions, in accordance with Indian Standard published by BIS under specifications IS 5887 (Part I Part IV and Part V) 1976, reaffirmed 1986.	100 gm	358
VBDM-29	Vibles Arabinose Agar Base	Recommended to differentiate <i>Enterococcus faecium</i> from <i>Streptococcus faecalis</i> .	500 gm	1923
VBDM-30	Vibles Azide Blood Agar Base	For selective isolation and cultivation of <i>Staphylococcus</i> and <i>Streptococcus species</i> from mixed bacteria.	500 gm	1817
VBDM-31	Vibles Azide Dextrose Broth	A selective medium for detection of <i>Streptococci</i> in water, sewage, food and other materials suspected of sewage contamination.	500 gm	1762
VBDM-32	Vibles Azide Dextrose Broth w/ BCP	Recommended for cultivation of faecal <i>Streptococci</i> , in accordance with ISO Committee under specifications ISO 7899-1:1984	500 gm	2015
VBDM-33	Vibles Azotobacter Agar (Glucose)	For isolation and cultivation of glucose positive <i>Azotobacter species</i> from soil.	500 gm	1639
VBDM-34	Vibles Azotobacter Agar (Mannitol)	For isolation, cultivation and identification of mannitol positive <i>Azotobacter species</i> from soil.	500 gm	1868
VBDM-35	Vibles B.T.B. Lactose Agar, Modified (Lactose Blue Agar)	For differentiation of lactose fermenting and non –fermenting	500 gm	1978

Code No.	Product Name	Intended Use	Packing	Price /bottle
----------	--------------	--------------	---------	---------------

VBDM-36	Vibres Bacillus Differentiation Agar	For differentiation between Bacillus cereus and <i>Bacillus subtilis</i> based on mannitol fermentation.	500 gm	2368
VBDM-37	Vibres Bacillus Medium	For cultivation of <i>Bacillus licheniformis</i> .	100 gm 500 gm	340 1535
VBDM-38	Vibres Bacteroides Bile Esculin Agar Base (BBE)	For selective isolation, identification and cultivation of <i>Bacteroides fragilis</i> group.	500 gm	5754
VBDM-39	Vibres Baird Parker Agar Base	For isolation and enumeration of coagulase positive Staphylococci from food and other materials.	100 gm 500 gm	528 2113
VBDM-40	Vibres Baird Parker Agar	For isolation and enumeration of coagulase positive <i>Staphylococci</i> from food and other materials in accordance with USP.	100 gm 500 gm	528 2113
VBDM-41	Vibres Beef Extract Agar	For routine cultivation of non fastidious bacteria.	500 gm	1781
VBDM-42	Vibres Beef Extract Broth	For routine cultivation of non fastidious bacteria.	500 gm	1781
VBDM-43	Vibres Bile Esculin Agar	For differential isolation and presumptive identification of group D streptococci in food and pharmaceutical products.	100 gm 500 gm	1101 3569
VBDM-44	Vibres Bile Esculin Azide Agar	Recommended for isolation and presumptive identification of faecal Streptococci in accordance with ISO Committee under specification ISO 7899-1 : 1984	500 gm	3782
VBDM-45	Vibres Bile Peptone transport Medium	For safe collection, transport and presentation of cholera organisms.	500 gm	2087
VBDM-46	Vibres Bile Salt Agar	For isolation and enumeration of bile tolerant enteric bacilli.	100 gm 500 gm	468 2080
VBDM-47	Vibres Bismuth Sulphite Agar	For selective isolation of Salmonella from faeces, urine, sewage and other materials.	100 gm 500 gm	356 1425
VBDM-48	Vibres Bismuth Agar Medium	For selective isolation of Salmonella from faeces, urine, sewage and other materials in accordance with USP.	100 gm 500 gm	442 1762
VBDM-49	Vibres Bismuth Sulphite Agar, Modified	For isolation and preliminary identification of Salmonella serotype Typhi and other Salmonellae from pathological materials, sewage, water supplies, food etc.	500 gm	1762

Code No.	Product Name	Intended Use	Packing	Price /bottle
----------	--------------	--------------	---------	---------------

VBDM-50	Vibles Blood Agar Base, (Infusion Agar)	For isolation and cultivation of many fastidious pathogenic microorganisms after addition of blood.	100 gm 500 gm	356 1425
VBDM-51	Vibles Bolton Broth Base	Selective enrichment of <i>Campylobacter species</i> from food in accordance with ISO Committee under specification ISO 10272-1 : 2006 (E)	500 gm	2003
VBDM-52	Vibles Bordet Gengou Agar Base w/ 1.6% Agar	For detection and isolation of <i>Bordetella pertussis</i> and .	500 gm	1983
VBDM-53	Vibles Boric Acid Broth	For the detection and presumptive identification of <i>Escherichia coli</i> , on the basis of the ability of these organisms to grow at 43° C and form gas from lactose in the presence of boric acid.	500 gm	1756
VBDM-54	Vibles Brain Heart Infusion Agar	For cultivation of fastidious pathogens bacteria, yeasts and moulds.	100 gm 500 gm	326 1425
VBDM-55	Vibles Brain Heart Infusion Agar w/ 1% Agar	For cultivation of fastidious pathogenic bacteria, yeasts and moulds.	500 gm	1652
VBDM-56	Vibles Brain Heart Infusion w/ 0.1% Agar	For propagation of fastidious pathogenic cocci and other organisms associated with blood culture work and allied pathological investigations.	500 gm	1580
VBDM-57	Vibles Brain Heart Infusion w/ 6.5% Nacl	For selective cultivation of salt tolerant microorganisms.	500 gm	1580
VBDM-58	Vibles Brain Heart Infusion Agar w/ 3.0% Agar	For cultivation of microorganisms when 3.0% Agar gel is desired.	500 gm	1999
VBDM-59	Vibles Brain Heart Infusion Broth	For propagation of pathogenic Cocci and other fastidious organisms associated with blood culture work and allied pathological investigations.	100 gm 500 gm	356 1425
VBDM-60	Vibles Brilliant Green Bile Agar	For enumeration of coliform bacteria in water, sewage and foods.	100 gm 500 gm	356 1425

Code No.	Product Name	Intended Use	Packing	Price /bottle
VBDM-61	Vibles Brilliant Green Bile Broth 2%	Recommended for detection and confirmation of coliform bacteria in water, waste water, foods, milk and dairy products in accordance with ISO Committee under specification ISO 4831 : 1991	100 gm 500 gm	356 1425
VBDM-62	Vibles Bromo Cresol Purple Azide Broth	For the confirmation of the presence of faecal <i>Streptococci</i> in water and waste water.	500 gm	1977
VBDM-63	Vibles Bromo Cresol Purple Broth Base	For studying fermentation of carbohydrates by pure cultures.	500 gm	1977
VBDM-64	Vibles Bromo Cresol Purple Broth w/ Dextrose	For identification of <i>Escheichia coli</i> and coliform bacteria from water samples.	500 gm	1695
VBDM-65	Vibles Bromo Cresol Purple Broth w/ Lactose	For identification of <i>Escheichia coli</i> and coliform bacteria from water samples.	500 gm	1695
VBDM-66	Vibles Brucella Agar Base	For selective isolation and cultivation of <i>Brucella</i> or <i>Campylobacter species</i> from clinical and nonclinical specimens.	100 gm 500 gm	442 1763
VBDM-67	Vibles Brucella Agar Base w/ 1.0% Dextrose	Recommended for the cultivation and isolation of <i>Brucella species</i> .	500 gm	1763
VBDM-68	Vibles Brucella Broth Base	For enrichment and cultivation of <i>Brucella</i> or <i>Capylobacter species</i> from clinical and nonclinical specimens.	100 gm 500 gm	442 1763
VBDM-69	Vibles Buffered Glucose Broth	See MR.VP Medium	100 gm 500 gm	232 928
VBDM-70	Vibles Buffered Peptone Water	For pre-enrichment of injured <i>Salmonella species</i> from foods prior to selective enrichment.	100 gm 500 gm	272 1330

Code No.	Product	Intended Use		Price /bottle
----------	---------	--------------	--	---------------

	Name		Packing	
VBDM-71	Vibles Buffered Peptone Water w/ NaCl	Recommended as a diluent for carrying out microbial limit test from clinical and nonclinical specimens.	500 gm	1411
VBDM-72	Vibles Buffered Tryptone Glucose Yeast Extract Broth	For cultivation and characterization of <i>Clostridia</i> isolated from food specimens.	500 gm	1807
VBDM-73	Vibles C.L.E.D Agar w/o Andrade Indicator	For isolation and differentiation of urinary pathogens on the basis of lactose fermentation.	100 gm 500 gm	390 1558
VBDM-74	Vibles C.L.E.D Agar w/o Andrade Indicator	For isolation and differentiation of urinary pathogens on the basis of lactose fermentation.	100 gm 500 gm	390 1558
VBDM-75	Vibles C.L.E.D Agar Base w/o Indicator	For isolation, enumeration and presumptive identification of bacterial flora in urinary tract.	500 gm	1652
VBDM-76	Vibles C.L.E.D Agar w/ Bromo Thymol Blue	For isolation and differentiation of urinary pathogens on the basis of lactose fermentation.	100 gm 500 gm	374 1615
VBDM-77	Vibles Campylobacter Agar Base	For selective isolation of <i>Campylobacter species</i> from faecal specimens, food and environmental specimens.	500 gm	2064
VBDM-78	Vibles Campylobacter Nitrate Broth	For identification of <i>Campylobacter species</i> on the basis of nitrate reduction.	500 gm	1580
VBDM-79	Vibles Candida Agar	For isolation and differentiation of <i>Candida albicans</i> .	500 gm	1909
VBDM-80	Vibles Candida BCG Agar Base	For primary isolation and identification of <i>Candida species</i> .	500 gm	1909
VBDM-81	Vibles Candida Medium	For selective isolation and cultivation of <i>Candida species</i> .	500 gm	1909
VBDM-82	Vibles Cary – Blair Medium Base (Transport Medium w/o Charcoal)	For collection and shipment of clinical specimens.	100 gm 500 gm	505 2136

Code No.	Product Name	Intended Use	Packing	Price /bottle
VBDM-83	Vibles Casein Acid Hydrolysate, Certified	Sodium chloride less than 3%	500 gm	4216
VBDM-84	Vibles Casein Acid Hydrolysate	Special for <i>Pertussis</i> Vaccine production.	500 gm	3580
VBDM-85	Vibles Cetrimide Agar Medium	For selective isolation of <i>Pseudomonas aeruginosa</i> with USP	100 gm 500 gm	329 1496
VBDM-86	Vibles Cetrimide Agar Medium	For selective isolation of <i>Pseudomonas aeruginosa</i> with IP	100 gm 500 gm	329 1496
VBDM-87	Vibles Cetrimide Broth	For selective cultivation of <i>Pseudomonas aeruginosa</i> .	100 gm 500 gm	368 1511
VBDM-88	Vibles Chlamydsopore Agar	For differentiation of <i>Candida albicans</i> from other <i>Candida species</i> on the basis of chlamydsopore formation.	100 gm 500 gm	680 3059
VBDM-89	Vibles Cholramphe nicol Yeast Glucose Agar	Recommended for selective enumeration of yeasts and moulds in milk and milk products in accordance with ISO Committee under specification ISO 7954 : 1987 and IS 5403 : 1999	100 gm 500 gm	370 1660
VBDM-90	Vibles Chlorella Broth Base w/o Dextrose and Citrate	For cultivation of Chlorella species.	100 gm 500 gm	500 2250
VBDM-91	Vibles Chocolate Agar Base	For isolation of <i>Neisseria gonorrhoeae</i> from chronic and acute cases of Gonococcal infections.	500 gm	1958
VBDM-92	Vibles Christensen Citrate Agar	For differentiation of enteric pathogens and coliforms based on citrate utilization.	100 gm 500 gm	434 1958
VBDM-93	Vibles Christensen Citrate Sulphite Agar	For differentiation of enteric bacilli on the basis of citrate utilization and hydrogen sulphide production.	500 gm	1909
VBDM-94	Vibles Clostridial Agar	For selective isolation of pathogenic <i>Clostridia</i> from mixed flora.	100 gm 500 gm	434 1923
VBDM-95	Vibles Clostridium Broth Base	For identification of spores of <i>Clostridium tyrobutyricm</i> which is usually responsible for 'late blowing' in cheese.	500 gm	1756
VBDM-96	Vibles Coagulase Mannitol Agar Base	For primary isolation and identification of pathogenic <i>Staphylococci</i> from clinical specimens or for classifying pure cultures.	100 gm 500 gm	434 1923

Code No.	Product Name	Intended Use	Packing	Price /bottle
VBDM-97	Vibles Columbia Agar	For detection of <i>Clostridium</i> perfringens from pharmaceutical products in accordance with USP.	500 gm	1826
VBDM-98	Vibles Columbia Blood Agar Base w/ Hemin	An efficient and enriched base for preparation of chocolate and blood agar and for various selective and identification media.	500 gm	4009
VBDM-99	Vibles Columbia Broth Base	For cultivation of fastidious organisms from clinical specimens.	500 gm	1580
VBDM-100	Vibles Cooked Meat Medium (R.C. Medium)	For cultivation of aerobes and anaerobes, especially pathogenic <i>Clostridia</i> and also for the maintenance of stock cultures.	100 gm 500 gm	442 1807
VBDM-101	Vibles Cooked Meat Medium (R.C. Medium)	For cultivation of aerobes and anaerobes, especially pathogenic <i>Clostridia</i> and also for the maintenance of stock cultures, in accordance with Indian Standard published by BIS under specifications IS : 5887 (Part II) 1976 add IS : 5887 (Part IV) 1976	100 gm 500 gm	442 1853
VBDM-102	Vibles Cooked Meat Medium w/ Glucose, Hemin and Vitamin K	For cultivation of aerobes and anaerobes, especially pathogenic <i>Clostridia</i> and also for the maintenance of stock cultures.	500 gm	1950
VBDM-103	Vibles Corn Meal Agar	For production of chlamydo spores by <i>Candida albicans</i> and the maintenance of fungal stock cultures.	100 gm 500 gm	372 1723
VBDM-104	Vibles Corn Meal Agar w/ Dextrose	For cultivation of phytopathological and other fungi.	500 gm	1723
VBDM-105	Vibles Corn Meal Peptone Yeast Agar	For cultivation of fungi.	500 gm	1723
VBDM-106	Vibles Crystal Violet Lactose Agar	For differentiation of pure cultures of pathogenic and nonpathogenic <i>Staphylococci</i> .	500 gm	1840
VBDM-107	Vibles Crystal Violet Lactose Broth	For detection of coliforms in water filtration control works.	500 gm	1736

Code No.	Product Name	Intended Use	Packing	Price /bottle
VBDM-108	Vibles Cystine Heart Agar Base	Supports excellent growth of gram-negative cocci and other pathogenic organisms. With added haemoglobin it is used for cultivation of <i>Francisella tularensis</i> .	500 gm	1723
VBDM-109	Vibles Cystine Tryptone Agar	For maintenance, subculturing, detection of motility and fermentation studies with the addition of various carbohydrates.	100 gm 500 gm	403 1625
VBDM-110	Vibles Czapek Dox Agar	A semisynthetic medium for general cultivation of fungi.	100 gm 500 gm	337 1544
VBDM-111	Vibles Czapek Dox Agar, Modified	For cultivation and maintenance of fungi	500 gm	1760
VBDM-112	Vibles Czapek Dox Liquid Medium	For the cultivation of fungi and bacteria capable of utilizing sodium nitrate as the sole source of nitrogen.	500 gm	1760
VBDM-113	Vibles Czapek Dox Broth	A semisynthetic medium medium used for cultivation of fungi.	100 gm 500 gm	318 1297
VBDM-114	Vibles Czapek Malt Agar	For isolation, detection and cultivation of saprophytic fungi.	100 gm 500 gm	337 1544
VBDM-115	Vibles Czapek Yeast Extract Agar	For the cultivation and maintenance of <i>Aspergillus niger</i> .	500 gm	2006
VBDM-114	Vibles D.C.L.S. Agar	A selective medium used to detect and isolate <i>Salmonella species</i> . Also useful for isolation of <i>Vibrio Cholerae</i> .	100 gm 500 gm	337 1503
VBDM-115	Vibles Dev Glucose Broth	For detection of microbial decomposition of glucose.	500 gm	1683
VBDM-116	Vibles Decarboxylase Agar Base	For differentiation of bacteria on the basis of their ability to decarboxylate the amino acid added to the medium.	500 gm	1667
VBDM-117	Vibles Decarboxylase Broth Base, Moeller	With the addition of appropriate L-amino acid, it is used to differentiate bacteria on the basis of their ability to decarboxylate the amino acid.	100 gm 500 gm	1034 4161
VBDM-118	Vibles Deoxycholate Agar	For direct differential count of coliforms in dairy products and for solution of enteric pathogens from rectal swabs, faeces and other pathological specimens.	100 gm 500 gm	351 1418

Code No.	Product Name	Intended Use	Packing	Price /bottle
VBDM-119	Vibles Deoxy-cholate Citrate Agar	Selective medium for the isolation of enteric pathogens particularly <i>Salmonella</i> and <i>Shigella species</i> .	100 gm 500 gm	286 1297
VBDM-119	Vibles Deoxy-cholate Citrate Agar Medium	For selective isolation and identification of <i>Salmonellae</i> in accordance with IP.	100 gm 500 gm	351 1456
VBDM-120	Vibles Deoxy-cholate Citrate Agar w/1.5% Agar	Selective medium recommended for the isolation of enteric pathogens.	500 gm	1427
VBDM-121	Vibles Deoxy-cholate Citrate Agar w/o Sucrose	For isolation and identification of enteric pathogens.	100 gm 500 gm	400 1544
VBDM-122	Vibles Deoxy-cholate Lactose Agar (Hynes)	For isolation and enumeration of coliforms in water, waste-water, milk and dairy products.	100 gm 500 gm	468 1700
VBDM-123	Vibles Dextrose Agar	For cultivation of a wide variety of microorganisms.	100 gm 500 gm	372 1598
VBDM-124	Vibles Dextrose Broth	For antibiotic sensitivity testing using tube dilution method.	100 gm 500 gm	315 1297
VBDM-125	Vibles Dextrose Mannitol Agar	For detection of urease production, dextrose and mannitol fermentation for primary isolation of <i>salmonella</i> and <i>Shigella species</i> .	500 gm	2034
VBDM-126	Vibles Dextrose Peptone Agar	For general cultivation of organisms.	500 gm	1667
VBDM-127	Vibles Dextrose Peptone Broth	For the cultivation of fastidious organisms, enumeration of thermophilic bacteria from canned foods and for routine sterility testing.	500 gm	1573
VBDM-128	Vibles Dextrose Proteose Peptone Agar base	With added blood and tellurite it is used for isolation of <i>Corynebacterium diptheriae</i> .	500 gm	1723
VBDM-129	Vibles Dextrose Salt Agar	Enumeration of yeasts and moulds in butter and other dairy products.	500 gm	1758

VBDM-130	Vibles Dextrose Salt Broth	Enumeration of yeasts and moulds in butter and other dairy products.	500 gm	1625
Code No.	Product Name	Intended Use	Packing	Price /bottle
VBDM-131	Vibles Dextrose Starch Agar	For propagation of pure cultures of <i>Neisseria gonorrhoeae</i> and other fastidious organisms.	500 gm	1723
VBDM-132	Vibles Dextrose Tryptone Agar, Modified	For isolation and cultivation of aciduric and thermophilic, aerobic flat-sour sporeformers from canned foods, sugar etc.	500 gm	1805
VBDM-133	Vibles Dextrose Tryptone Broth	For enrichment and cultivation of mesophilic organisms in foods.	500 gm	1703
VBDM-134	Vibles Dextrose Tryptone Broth, Modified	For enrichment and cultivation of aciduric and thermophilic sporeformers.	500 gm	1703
VBDM-135	Vibles Differential Agar for Group D Streptococci	For differentiation and identification of <i>Group D Streptococci</i> .	500 gm	1978
VBDM-136	Vibles Differential Buffered Charcoal Yeast Extract Agar Base	For selective isolation and differentiation of <i>Legionella species</i> .	100 gm	2343
VBDM-137	Vibles Differential Reinforced Clostridial Agar	For the enumeration and cultivation of Clostridia from water.	500 gm	2102
VBDM-138	Vibles Differential Reinforced Clostridial Broth Base	For the cultivation of <i>Clostridia</i> from water.	500 gm	2102
VBDM-139	Vibles Differential Reinforced Clostridial Broth Base	Recommended for cultivation of Clostridia from water, in accordance with ISO Committee under specifications ISO 6461-1:1986 and Is 13428-1:1998	500 gm	1866
VBDM-140	Vibles E.T. Medium	For mass cultivation of <i>Clostridia</i> for enterotoxin production.	500 gm	1553
VBDM-141	Vibles EC Broth	For selective enumeration of faecal and nonfaecal coliforms in water, wastewater and shell fish.	100 gm 500 gm	420 1683

Code No.	Product Name	Intended Use	Packing	Price /bottle
VBDM-142	Vibles EC Broth	Recommended for selective enumeration of presumptive <i>Escherichia coli</i> by MPN technique, in accordance with ISO Committee under specifications ISO/DIS 7251 : 1993	500 gm	1683
VBDM-143	Vibles EE Broth, Mossel	For selective enrichment of <i>Enterobacteriaceae</i> in the bacteriological examination of foods.	100 gm 500 gm	468 1866
VBDM-144	Vibles EMB Agar	For differential isolation of gram-negative enteric bacilli from clinical and nonclinical specimens.	100 gm 500 gm	356 1431
VBDM-145	Vibles EMB Agar Base	A basal medium to which different carbohydrates and other tests substances may be added for differentiation and study of various enteric bacteria.	100 gm 500 gm	421 1684
VBDM-146	Vibles EMB Agar, Levine	For isolation, enumeration and differentiation of members of <i>Enterobacteriaceae</i> .	100 gm 500 gm	356 1431
VBDM-147	Vibles EMB Agar, Levine (Levine Eosin-Methylene Blue Agar Medium)	For isolation, enumeration and differentiation of members of <i>Enterobacteriaceae</i> .in accordance with USP.	100 gm 500 gm	356 1431
VBDM-148	Vibles EMB Agar, Levine (Levine Eosin-Methylene Blue Agar Medium)	For isolation, enumeration and differentiation of members of <i>Enterobacteriaceae</i> . in accordance with IP.	100 gm 500 gm	397 1658
VBDM-149	Vibles EMB Broth	For differentiation of gram-negative enteric bacteria.	100 gm 500 gm	338 1452
VBDM-150	Vibles Emerson YSS Agar	For the isolation of <i>Actinomycetes</i> and other fungi.	500 gm	1861
VBDM-151	Vibles Endo Agar	For the confirmation of the presumptive test for members of the coliform group.	100 gm 500 gm	345 1426
VBDM-152	Vibles Endo Agar Base	For preparing Endo Agar to confirm presumptive test for members of the coliform group.	500 gm	1466
VBDM-153	Vibles Endo Agar w/ NaCl	For detection and isolation of pathogenic enteric bacilli.	500 gm	1639

Code No.	Product Name	Intended Use	Packing	Price /bottle
VBDM-154	Vibles Enriched Thioglycollate Broth	For isolation, cultivation and identification of a wide variety of obligate anaerobic bacteria.	500 gm	1756
VBDM-155	Vibles Enteric Fermentation Base	Used with added carbohydrate and indicator for differentiating microorganisms based on fermentation reactions.	500 gm	1371
VBDM-156	Vibles Erythromycin Seed Agar	See Neomycin, Erythromycin Assay Agar.	100 gm 500 gm	452 1806
VBDM-157	Vibles Esculin Agar	For cultivation and differentiation of bacteria that can hydrolyze esculin and produce H ₂ S	500 gm	2137
VBDM-158	Vibles Esculin Azide Broth	For selective cultivation and identification of <i>Streptococci</i>	500 gm	1983
VBDM-159	Vibles Esculin Fermentation Broth	For cultivation and differentiation of bacteria which hydrolyze esculin.	500 gm	1983
VBDM-160	Vibles Esculin Iron Agar	For verifying <i>Enterococcal</i> colonies on membrane filters through which water samples have been filtered and which have been incubated on M-Enterococcus Agar, Modified (M1048)	100 gm	2075
VBDM-161	Vibles Ethyl Violet Azide Dextrose Agar	For detecting and confirming <i>Streptococci</i> and as confirmative medium for faecal pollution indication in water and other specimens.	500 gm	2102
VBDM-162	Vibles Fermentation Medium Base for C. perfringens	For studying fermentation reaction of <i>Clostridium perfringens</i> with added carbohydrate.	500 gm	1866
VBDM-163	Vibles Fermentation Medium for Neisseriae	For studying fermentation reaction of <i>Neisseria</i> species.	500 gm	1978
VBDM-164	Vibles Fermentation Medium for Staphylococcus and Micrococcus	For studying fermentation by <i>Staphylococcus</i> and <i>Micrococcus species</i> .	500 gm	1978
VBDM-165	Vibles Fluid Lactose Medium	As a pre-enrichment medium for detection of coliform bacteria in water, dairy products and food samples.	100 gm 500 gm	243 1004

Code No.	Product Name	Intended Use	Packing	Price /bottle
VBDM-166	Vibles Fluid Lactose Medium (Lactose Broth)	For detection of coliform bacteria in water, foods, dairy products in accordance with USP	100 gm 500 gm	248 1176
VBDM-167	Vibles Fluid Lactose Medium (Lactose Broth Medium)	For detection of coliform bacteria in water, foods, dairy products in accordance with IP	100 gm 500 gm	248 1176
VBDM-168	Fluid Lactose Medium w/ Soya Lecithin and Polysorbate 20 (Twin Pack)	For microbial evaluation of oral hygiene products.	100 gm 500 gm	1022 3841
VBDM-169	Vibles Fluid Sabouraud Medium	Sterility test medium for moulds and lower bacteria in pharmaceutical preparations.	100 gm 500 gm	194 764
VBDM-170	Vibles Fluid Selenite Cystine-Medium (Twin Pack)	Enrichment medium for isolation of Salmonella in foods, dairy products and materials of sanitary importance and clinical specimens in accordance with USP	100 gm 500 gm	509 2040
VBDM-171	Vibles Fluid Selenite Cystine-Medium (Twin Pack)	Enrichment medium for isolation of Salmonella in foods, dairy products and materials of sanitary importance and clinical specimens in accordance with IP	100 gm 500 gm	509 2040
VBDM-172	Vibles Fluid Tetrathionate Medium w/o Iodine and BG	(Tetrathionate Broth Base w/o iodine and BG) selective enrichment medium for isolating Salmonella from foods and other pathological materials.	100 gm 500 gm	254 1103
VBDM-173	Vibles Fluid Tetrathionate medium	An enrichment broth for isolation of Salmonella for specimens suspected to be contaminated with Salmonella in accordance with USP.	100 gm 500 gm	254 1103
VBDM-174	Vibles Fluid Thioglycolate Medium	For sterility testing of biologicals and for cultivation of aerobes, anaerobes and microaerophiles.	100 gm 500 gm	186 714

VBDM-175	Vibles Fluid Thioglycolate Medium	For sterility testing of biologicals and for cultivation of aerobes, anaerobes and microaerophiles. In accordance with USP.	100 gm 500 gm	183 730
----------	--	---	------------------	------------

Code No.	Product Name	Intended Use	Packing	Price /bottle
VBDM-176	Vibles Thioglycolate Medium w/ Beef Extract	For cultivation of anaerobic, microaerophilic and aerobic microorganisms and for sterility testing.	500 gm	1235
VBDM-177	Vibles Fuchsin Lactose Broth	For determination of 'coliform' titre in the bacteriological examination of water and other materials.	500 gm	1703
VBDM-178	Vibles Fungal Agar (Mycological Agar)	For cultivation and maintenance of fungi.	500 gm	1978
VBDM-179	Vibles Fungal Broth (Mycological Broth)	For cultivation of fungi.	500 gm	1866
VBDM-180	Vibles GN Broth, Hajna	For selective enrichment of gram-negative organisms of the enteric group.	100 gm 500 gm	358 1379
VBDM-181	Vibles Gelatin Agar	For cultivation and identification of <i>Vibrio species</i> .	500 gm	1840
VBDM-182	Vibles Gelatin Mannitol Salt Agar (Staphylococcus Agar No : 110)	For selective isolation and differentiation of pathogenic <i>Staphylococci</i> ,	100 gm 500 gm	434 1578
VBDM-183	Vibles Gelatin Salt Agar	For cultivation and differentiation of <i>Vibrio species</i> from foods.	500 gm	2034
VBDM-184	Vibles Glucose Agar	For determining the fermentation reaction of presumptive <i>Enterobacteriaceae</i> .	500 gm	1628
VBDM-185	Vibles Glucose Agar, Modified	For the maintenance of stock cultures of a variety of microorganisms.	500 gm	1675
VBDM-186	Vibles Glucose Azide Broth	For the enumeration of faecal <i>Streptococci</i> by MPN technique from water and sewage.	500 gm	1736
VBDM-187	Vibles Glucose Broth	For study of dextrose fermentation where pH indicator is not desired.	100 gm 500 gm	364 1638

VBDM-188	Vibles Glucose Citrate Broth Base	For cultivation of fastidious microorganisms.	500 gm	1638
VBDM-189	Vibles Glucose Peptone Agar	Highly nutritious medium that can support growth of fastidious microorganism.	500 gm	1737
Code No.	Product Name	Intended Use	Packing	Price /bottle
VBDM-190	Vibles Glucose Phosphate Broth	See MR-VP Medium.	100 gm 500 gm	232 928
VBDM-191	Vibles Glucose Starch Agar	For detection of <i>Clostridium pefringens</i> with addition of salicin, raffinose and phenol red.	500 gm	1805
VBDM-192	Vibles Glucose Yeast Extract Acetate Broth	For cultivation of Lactobacilli.	500 gm	1736
VBDM-193	Vibles Glucose Yeast Extract Agar	For enumeration and cultivation of Lactobacilli in pharmaceutical preparations.	500 gm	1840
VBDM-194	Vibles Glucose Yeast Peptone Agar	For isolation of yeasts from soil specimens.	500 gm	1840
VBDM-195	Vibles Glutamate Starch Phenol Red Agar Base	For detection of of <i>Pseudomonas</i> and <i>Aeromonas species</i> in foodstuffs and wastewater and equipments in food industry.	500 gm	1868
VBDM-196	Vibles HS Medium	For cultivation of aerobic as well as anaerobic bacteria and sterility testing.	500 gm	1508
VBDM-197	Vibles Hartley's Digest Broth	A general purpose medium for the cultivation of a wide variety of bacteria from blood especially fastidious <i>Streptococci</i> and Corynebacterium diptheriae.	100 gm 500 gm	410 1638
VBDM-198	Vibles Heart Infusion Agar	For isolation and cultivation of a wide variety of fastidious organisms.	100 gm 500 gm	434 1923
VBDM-199	Vibles Heart Infusion Broth	For isolation and cultivation of a wide variety of fastidious organisms.	100 gm 500 gm	434 1923

VBDM-200	Vibles Salmonella Differential Agar (Twin Pack) (Raj Hans Medium)	See <i>Salmonella</i> Differential Agar	100 gm 500 gm	557 2781
VBDM-201	Vibles High Plate Count Agar	For obtaining higher colony counts by spread plate or pour plate or membrane filter technique.	500 gm	1978

Code No.	Product Name	Intended Use	Packing	Price /bottle
VBDM-202	Vibles High Salt Peptone Yeast Extract Agar	Recommended for confirmation of <i>Vibrio species</i> , in accordance with ISO Committee under specifications ISO/DIS 8914 : 1990	500 gm	1598
VBDM-203	Vibles Indole Nitrate Medium (Tryptone Nitrate Medium)	For identification of microorganisms by means of nitrate reduction and indole production.	100 gm 500 gm	351 1445
VBDM-204	Vibles Iron Sulphite Agar	For detection of thermophilic anaerobic organisms causing sulphide spoilage in foods.	100 gm 500 gm	468 1868
VBDM-205	Vibles KF Streptococcal Agar Base	For selective isolation and enumeration of faecal <i>Streptococci</i> in surface water by direct plating or by membrane filter method.	500 gm	1760
VBDM-206	Vibles KF Streptococci Agar Base	For selective isolation and enumeration of faecal <i>Streptococci</i> in surface water by direct plating or by membrane filter method.	500 gm	1760
VBDM-207	Vibles Streptococcal Broth Base	For detection and enumeration of faecal <i>Streptococci</i> in waters and examinations of faeces and other materials.	500 gm	1660
VBDM-208	Vibles Kanamycin Esculin Azide Agar	For selective isolation and identification of <i>group D Streptococci</i> in foodstuffs.	100 gm	1598
VBDM-209	Vibles Kanamycin Esculin Azide Agar Base	For selective isolation and identification of <i>group D streptococci</i> in foodstuffs.	100 gm	1598
VBDM-210	Vibles Kanamycin Esculin Azide Broth	For selective isolation and identification of <i>group D Streptococci</i> in foodstuffs.	100 gm	1508

VBDM-211	Vibles Kanamycin Esculin Azide Broth Base	For selective isolation and identification of <i>group D Streptococci</i> in foodstuffs.	100 gm	1508
VBDM-212	Vibles Kligler Iron Agar	For differential identification of gram-negative enteric bacilli on the basis of the fermentation of dextrose, lactose and H ₂ S production.	100 gm 500 gm	316 1385

Code No.	Product Name	Intended Use	Packing	Price /bottle
VBDM-213	Vibles Kligler Iron Agar, Modified	Recommended for identification of <i>Yersinia enterocolitica</i> . Also used for differential identification of gram-negative enteric bacilli of the fermentation of dextrose, lactose and H ₂ S production, in accordance with ISO Committee under specifications ISO/DIS 10273 : 1994	500 gm	1584
VBDM-214	Vibles Kligler Iron Agar	Recommended for identifications of <i>Pseudomonas</i> species. It can be also used for differential identification of gram-negative enteric bacilli on the basis of the fermentation of dextrose, lactose and H ₂ S production, in accordance with ISO Committee under specifications ISO/DIS 13720 : 1995	500 gm	1652
VBDM-215	Vibles Koser Citrate Medium	To differentiate <i>Escherichia coli</i> and <i>Enterobacater aerogenes</i> on the basis of citrate utilization.	100 gm 500 gm	377 1547
VBDM-216	Vibles Lactobacilli Broth	See Eliiker Broth.	500 gm	1742
VBDM-217	Vibles Lactose Broth	For the detection of coliform bacteria in water, foods, dairy products as per Standard Methods.	100 gm 500 gm	248 1176
VBDM-218	Vibles Lactose Lecithin Agar	For isolation differentiation of histotoxic <i>Clostridia</i> from clinical specimens.	500 gm	2064
VBDM-219	Vibles Lactose Peptone Broth	For detection of coliform organisms in water.	500 gm	1625
VBDM-220	Vibles Lactose Peptone Broth	For determination of coliforms in the bacteriological analysis of water.	500 gm	1625

VBDM-221	Vibres Lactose Sulphite Broth Base	For detection and enumeration of <i>Clostridium perfringens</i> in pharmaceutical products.	500 gm	1495
VBDM-222	Vibres Lactose Monohydrate Sulphite Medium (Medium R)	For detection enumeration of <i>Clostridium perfringens</i> in pharmaceutical products. In accordance with EP	500 gm	1495

Code No.	Product Name	Intended Use	Packing	Price /bottle
VBDM-223	Vibres Lactose Monohydrate Sulphite Medium (Medium R)	For detection enumeration of <i>Clostridium perfringens</i> in pharmaceutical products. In accordance with BP	500 gm	1495
VBDM-224	Vibres Lauryl Sulphate Broth (Lauryl Tryptose Broth)	For detection and enumeration of coliform bacteria in water, wastewater, dairy products and other food samples.	100 gm 500 gm	316 1379
VBDM-225	Vibres Lauryl Tryptose Mannitol Broth w/ Tryptophan	A single tube medium used for confirmation of <i>Escherichia coli</i> in drinking water.	500 gm	1898
VBDM-226	Vibres Lead Acetate Agar	For detection of hydrogen sulphide producing enteric bacteria.	500 gm	1909
VBDM-227	Vibres Legionella Agar Base	With addition of supplements it is used for cultivation of <i>Legionella species</i> .	500 gm	1495
VBDM-228	Vibres Levine Eosin-Methylene Blue Agar Medium (EMB agar, Levine)	For isolation, enumeration and differentiation of members of <i>Enterobacteriaceae</i> in accordance with USP.	100 gm 500 gm	356 1431
VBDM-229	Vibres Levine Eosin-Methylene Blue Agar Medium (EMB agar, Levine)	For isolation, enumeration and differentiation of members of <i>Enterobacteriaceae</i> in accordance with IP.	100 gm 500 gm	397 1658

VBDM-230	Vibles Levinthal's Medium Base	For cultivation of Haemophilus species.	500 gm	1978
VBDM-231	Vibles Limabean Agar	For cultivation of phytopathological and other fungi.	500 gm	1978
VBDM-232	Vibles Lipovitellin Salt Mannitol Agar Base	For selective isolation and identification of pathogenic <i>Staphylococci</i> by detecting lipase production and mannitol fermentation.	500 gm	1978
VBDM-233	Vibles Litmus Milk	For maintenance of <i>Lactobacilli</i> and for determining the action of bacteria on milk.	100 gm 500 gm	358 1607

Code No.	Product Name	Intended Use	Packing	Price /bottle
VBDM-234	Vibles Littman Oxgall Agar Base	For primary isolation of pathogenic fungi.	500 gm	1978
VBDM-235	Vibles Littman Oxgall Broth Base	For selective enrichment and cultivation of pathogenic fungi.	500 gm	1866
VBDM-236	Vibles Loeffler Serum Medium Base	For the cultivation of <i>Corynebacterium diphtheriae</i> .	100 gm 500 gm	434 1948
VBDM-237	Vibles Lowenstein Jensen Medium Base (L.J. Medium)	For isolation and cultivation of <i>Mycobacterium</i> species.	100 gm 500 gm	357 1495
VBDM-238	Vibles Lowenstein Jensen Medium Base w/o Starch	For drug resistance testing of <i>Mycobacteria</i> in accordance with WHO	100 gm 500 gm	357 1495
VBDM-239	Vibles Luria Broth	For the routine cultivation of not particularly fastidious organisms.	500 gm	1733
VBDM-240	Vibles Lysine Arginine Iron (LAI) Agar	For the isolation and presumptive identification of <i>Yersinia</i> species form milk and milk products.	100 gm	1495
VBDM-241	Vibles Lysine Decarboxylase Broth	For differentiating <i>Salmonella</i> serotype Arizonae from the Bethesda Ballerup group of <i>Enterobacteriaceae</i> .	100 gm 500 gm	410 1545

VBDM-242	Vibles Lysine Decarboxylase Broth w/o Peptone	Recommended for distinguishing the <i>Salmonella</i> serotype <i>Arizonae</i> from the Bethesda Ballerup group of <i>Enterobacteriaceae</i> , in accordance with ISO Committee under specifications ISO 6579 : 1993	100 gm 500 gm	343 1545
VBDM-243	Vibles Lysine Iron Agar	For differentiation of enteric organisms especially <i>Salmonella</i> serotype <i>Arizonae</i> , based on their ability to decarboxylate or deaminase lysine and to form hydrogen sulphide. (H ₂ S)	100 gm 500 gm	379 1514
VBDM-244	Vibles Lysine Iron Cystine Broth Base	For rapid presumptive detection of <i>Salmonella</i> in foods, food ingredients and feed materials.	100 gm 500 gm	410 1723

Code No.	Product Name	Intended Use	Packing	Price /bottle
VBDM-245	Vibles Lysine Iron Cystine Broth Base	For rapid presumptive detection of <i>Salmonella</i> in foods, food ingredients and feed materials.	100 gm 500 gm	410 1723
VBDM-246	Vibles Lysine Lactose Broth	For determination of lysine decarboxylase activity of lactose nonfermenting members of <i>Enterobacteriaceae</i> especially <i>Salmonellae</i> .	500 gm	1723
VBDM-247	Vibles Lysine Medium Base	For isolation and enumeration of wild yeasts in pitching yeasts.	100 gm 500 gm	434 1826
VBDM-248	Vibles M-Broth	For detecting <i>Salmonellae</i> in foods and feeds by the accelerated enrichment serology procedures.	100 gm	1506
VBDM-249	Vibles M-Azide Broth Base	For the cultivation and enumeration of <i>Enterococci</i> from water samples by membrane filter technique.	500 gm	1801
VBDM-250	Vibles M-E.coli Broth	For detection, differentiation and enumeration of <i>Escherichia coli</i> and coliforms in water samples by membrane filter technique.	100 gm 500 gm	970 4322
VBDM-251	Vibles M-EC Test Agar	For testing <i>Escherichia coli</i> in water samples using membrane filter technique.	500 gm	1805
VBDM-252	Vibles M-EMB Broth	For the detection of members of the coliform group by the membrane filter technique.	500 gm	1866
VBDM-253	Vibles M-Endo Agar LES	For enumeration of coliforms in water using a two step membrane filter technique.	100 gm 500 gm	495 1978
VBDM-254	Vibles M-Endo Broth	For estimation of coliforms in water samples using membrane filter technique.	100 gm 500 gm	466 1866

VBDM-255	Vibles M-Enterococcus Agar Base	For isolation and enumeration of Enterococci in water, sewage, food and other materials by membrane filter technique as well as direct plating of specimens.	500 gm	1978
VBDM-256	Vibles M-FC Agar base	For detection and enumeration of faecal coliforms using membrane filter technique at higher temperature (44.5 ^o C)	500 gm	2012
VBDM-257	Vibles M-FC Agar base, Modified	For detection and enumeration of Klebsiella in water samples by using membrane filter technique.	500 gm	2075
VBDM-258	Vibles M-HD Endo Broth	For detection of coliforms in water samples by membrane filter technique.	500 gm	1853

Code No.	Product Name	Intended Use	Packing	Price /bottle
VBDM-259	Vibles M-HD Endo Broth	For detection of coliforms in water samples by membrane filter technique.	500 gm	1853
VBDM-260	Vibles M-HD Endo Broth w/BG	For detection of coliforms in highly polluted waters using membrane filter technique.	500 gm	1853
VBDM-261	Vibles M-Lauryl Sulphate Agar	Recommended for the enumeration of coliform organisms and Escherichia coli in water.	500 gm	2316
VBDM-262	Vibles M - Lauryl Sulphate Broth	For enumeration of Escherichia coli in water using membrane filter technique.	500 gm	1853
VBDM-263	Vibles M-MacConkey Broth	For detection of lactose fermenting and non-fermenting enteric bacteria using membrane filter technique.	500 gm	1756
VBDM-264	Vibles M-Nutrient Broth	For enumeration of bacteria using membrane filter technique.	500 gm	1756
VBDM-265	Vibles M-Staphylococcus Broth	For detection and isolation of Staphylococci by membrane filter technique.	500 gm	1645
VBDM-266	Vibles M-Tetrathionate Broth Base	For selective enrichment of Salmonella using membrane filter technique.	500 gm	1853
VBDM-267	Vibles M-Tryptone Glucose Extract Broth	For determination of bacterial count in milk and other samples in dairy sanitation by membrane filter technique.	500 gm	1853

VBDM-268	Vibles MIO Medium (Motility Indole Ornithine Medium)	For the identification of <i>Enterobacteriaceae</i> on the basis of motility, indole production and ornithine decarboxylase activity.	500 gm	1861
VBDM-269	Vibles MR-VP Medium (Glucose Phosphate Broth)	For studying Methyl Red and Voges Proskauer tests to differentiate amongst coli – aerogenes group, in accordance with Indian Standard published by BIS and ISO under specifications IS:5887 (Part III) 1999 and ISO 6579 : 1993	100 gm 500 gm	232 928
VBDM-270	Vibles MR-VP Medium	For studying Methyl Red and Voges Proskauer tests to differentiate amongst coli – <i>aerogenes group</i> , in accordance with Indian Standard published by BIS under specifications IS:5887 (Part I,IV,V) 1999.	100 gm 500 gm	255 1022

Code No.	Product Name	Intended Use	Packing	Price /bottle
VBDM-271	Vibles MR-VP Medium	For studying Methyl Red and Voges Proskauer tests to differentiate amongst coli – <i>aerogenes group</i> , in accordance with ISO Committee under specifications ISO 6579 : 2002.	100 gm 500 gm	236 950
VBDM-272	Vibles MRS Agar	See Lactobacillus MRS Agar	100 gm 500 gm	429 1756
VBDM-273	Vibles MRS Agar	See Lactobacillus MRS Agar	500 gm	2326
VBDM-274	Vibles MacConkey Agar w/o CV, NaCl w/ 0.5% Sodium Taurocholate	For cultivation and differentiation of enteric bacteria, restricting swarming of <i>Proteus species</i> from specimens such as urine which may contain large number of <i>Proteus species</i> as well as potentially pathogenic gram-positive organisms.	100 gm 500 gm	286 1261
VBDM-275	Vibles MacConkey Agar w/o CV, NaCl w/ 0.5% Bile Salts	For cultivation and differentiation of enteric bacteria, restricting swarming of <i>Proteus species</i> from specimens such as urine which may contain large number of <i>Proteus species</i> as well as potentially pathogenic gram-positive organisms.	500 gm	1337
VBDM-276	Vibles MacConkey Agar w/ 0.15% Bile salts, CV and NaCl	For selective isolation and differentiation of coliform organisms and other enteric pathogens.	100 gm 500 gm	286 1261

VBDM-277	Vibles MacConkey Agar w/ CV, NaCl and 0.15% Bile Salts	To identify <i>Enterobacteriaceae</i> in the presence of coliforms and lactose non-fermenters from water, sewage, food products etc.	500 gm	1313
VBDM-278	Vibles MacConkey Agar Medium	For selective isolation and differentiation of lactose fermenting and lactose non-fermenting enteric bacteria, in accordance with USP.	500 gm	1313
VBDM-279	Vibles MacConkey Agar Medium	For selective isolation and differentiation of lactose fermenting and lactose non-fermenting enteric bacteria, in accordance with IP.	500 gm	1313

Code No.	Product Name	Intended Use	Packing	Price /bottle
VBDM-280	Vibles MacConkey Agar (Agar Medium H)	For selective isolation and differentiation of lactose fermenting and lactose non-fermenting enteric bacteria, in accordance with BP.	500 gm	1313
VBDM-281	Vibles MacConkey Agar (Agar Medium H)	For selective isolation and differentiation of lactose fermenting and lactose non-fermenting enteric bacteria, in accordance with EP.	500 gm	1313
VBDM-282	Vibles MacConkey Agar w/o CV, w/ 0.15% Bile Salts	For selective isolation and differentiation of lactose fermenting and lactose non-fermenting enteric bacteria.	100 gm 500 gm	286 1261
VBDM-283	Vibles MacConkey Agar w/o CV, w/ 1.2% Agar	For selective isolation and differentiation of lactose fermenting and lactose non-fermenting enteric bacteria	500 gm	1313
VBDM-284	Vibles MacConkey Agar w/o CV, w/ 0.5% Bile Salts	For selective isolation and differentiation of lactose fermenting and lactose non-fermenting enteric bacteria	500 gm	1313

VBDM-285	Vibles MacConkey Agar Medium	For selective isolation and differentiation of lactose fermenting and lactose non-fermenting enteric bacteria and also for isolation of faecal <i>Streptococci</i> .	500 gm	1391
VBDM-286	Vibles MacConkey Agar	For isolation and differentiation of lactose fermenting and lactose non-fermenting enteric bacteria, in accordance with Indian Standard published by BIS under specifications IS : 5401-1969 and IS : 5887 (Part I & Part II) 1976	100 gm 500 gm	303 1472
VBDM-287	Vibles MacConkey Agar w/ Bromo Thymol Blue	For detection of lactose fermenting enteric bacteria.	100 gm 500 gm	393 1544
VBDM-288	Vibles MacConkey Agar w/ Magnesium sulphate	For isolation and differentiation of gram negative enteric organisms while suppressing the swarming of most <i>Proteus</i> species.	100 gm 500 gm	286 1261

Code No.	Product Name	Intended Use	Packing	Price /bottle
VBDM-289	Vibles MacConkey Agar Base	For studying carbohydrate fermentation reactions of coliforms by adding carbohydrates either individually or in combination.	500 gm	1344
VBDM-290	Vibles MacConkey Broth w/ Neutral Red	For selective enrichment and enumeration of coliforms.	100 gm 500 gm	264 1141
VBDM-291	Vibles MacConkey Broth w/ Neutral Red	For selective enrichment and enumeration of coliforms.	100 gm 500 gm	264 1141
VBDM-292	Vibles MacConkey Broth w/ Neutral Red	For selective enrichment and enumeration of coliforms, in accordance with Indian Standard published by BIS under specifications IS 5401-1969 and IS : 5887 (Part I & Part II) 1976	100 gm 500 gm	294 1261
VBDM-293	Vibles MacConkey Broth (Double Strength) w/ Neutral Red	For primary isolation of coliforms from large samples such as water or waste water.	100 gm 500 gm	359 1463
VBDM-294	Vibles MacConkey Broth Purple w/ BCP	For presumptive identification of coliforms from variety of specimens such as water, milk and food etc.	100 gm 500 gm	264 1174

VBDM-295	Vibles MacConkey Broth	For presumptive identification of coliforms from variety of specimens such as water, milk and food, in accordance with USP.	100 gm 500 gm	279 1174
VBDM-296	Vibles MacConkey Broth Medium	For presumptive identification of coliforms from variety of specimens such as water, milk and food, in accordance with IP.	100 gm 500 gm	279 1213
VBDM-297	Vibles MacConkey Sorbitol Agar	See Sorbitol Agar.	500 gm	2250
VBDM-298	Vibles Malonate Broth	For differentiation of <i>Enterobacter</i> and <i>Escherichia</i> on the basis of malonate utilization.	100 gm	1957
VBDM-299	Vibles Malt Agar	For detection and isolation of yeasts and moulds from dairy products, foods and other materials. Also for carrying stock cultures of yeasts and moulds.	500 gm	2388
VBDM-300	Vibles Mannitol Agar w/Prilion	Selective agar used for isolation and differentiation of <i>Salmonella</i> from <i>Proteus species</i> .	100 gm 500 gm	2055 8219

Code No.	Product Name	Intended Use	Packing	Price /bottle
VBDM-301	Vibles Mannitol Lysine Agar	For selective isolation of <i>Salmonella</i> other than <i>Salmonella typhi</i> and <i>Salmonella serotype Paratyphi A</i> .	500 gm	1978
VBDM-302	Vibles Mannitol Motility Nitrate Medium	For studying mannitol fermentation, nitrate reduction and motility of bacteria.	500 gm	1688
VBDM-303	Vibles Mannitol Motility Test Medium	For studying mannitol fermentation and motility of bacteria.	100 gm	503
VBDM-304	Vibles Mannitol salt Agar Base	For selective isolation of pathogenic <i>Staphylococci</i> .	100 gm 500 gm	333 1426
VBDM-305	Vibles Mannitol-Salt-Agar	For selective isolation of pathogenic <i>Staphylococci</i> in accordance with EP.	100 gm 500 gm	333 1426
VBDM-306	Vibles Mannitol Salt Broth	For selective isolation of presumptive pathogenic <i>Staphylococci</i> .	500 gm	1866
VBDM-307	Vibles Middlebrook 7H9 Agar Base	For isolation, cultivation and sensitivity testing of <i>Mycobacterium tuberculosis</i> .	500 gm	1978

VBDM-308	Vibles Middlebrook 7H9 Broth Base	For cultivation and sensitivity testing of <i>Mycobacterium tuberculosis</i> .	500 gm	1866
VBDM-309	Vibles Middlebrook 7H10 Agar Base	For isolation, cultivation and sensitivity testing of <i>Mycobacterium tuberculosis</i> .	500 gm	1978
VBDM-310	Vibles Middlebrook 7H11 Agar Base	For isolation, cultivation and sensitivity testing of <i>Mycobacteria</i> .	500 gm	1978
VBDM-311	Vibles Middlebrook 7H11 Agar Base w/o Malachite Green	For isolation, cultivation and determination of antimicrobial susceptibility of <i>Mycobacteria</i> .	500 gm	1978
VBDM-312	Vibles Milk Agar	For enumeration of bacteria in milk and milk products, rinse waters, ice creams etc.	500 gm	1944

Code No.	Product Name	Intended Use	Packing	Price /bottle
VBDM-313	Vibles Motility-Indole-Lysine Medium (MIL Medium)	For identification of members of <i>Enterobacteriaceae</i> on the basis of motility, lysine decarboxylase, lysine deaminase and indole production.	100 gm 500 gm	434 1789
VBDM-314	Vibles Motility Sulphide Medium	For detection of motility and hydrogen sulphide production .	500 gm	1805
VBDM-315	Vibles Motility Test Medium	For detection of bacterial motility.	500 gm	1723
VBDM-316	Vibles Mueller Hinton Agar	For cultivation of <i>Neisseria</i> and for determination of susceptibility of microorganisms to antimicrobial agents.	100 gm 500 gm	339 1521
VBDM-317	Vibles Mueller Hinton Broth	For determine the susceptibility of bacteria to Sulphonamides by the tube dilution method.	100 gm 500 gm	410 1688
VBDM-318	Vibles Nitrate Agar	For detection of nitrate reduction by bacteria.	500 gm	1978
VBDM-319	Vibles Nitrate Broth	For detection of nitrate reduction by bacteria. Also recommended for the enumeration of <i>Bacillus cereus</i> in accordance with ISO Committee under specifications ISO/ DIS 7932 : 1993.	100 gm 500 gm	415 1866

VBDM-320	Vibres Nitrate Broth	For detection of nitrate reduction by bacteria. Also for the enumeration of <i>Bacillus cereus</i> , in accordance with Indian Standard published by BIS under specifications IS : 5887 (Part IV), 1976	100 gm 500 gm	419 1886
VBDM-321	Vibres Nutrient Agar	For cultivation of less fastidious microorganisms, can be enriched with blood or other biological fluids.	100 gm 500 gm	286 1268
VBDM-322	Vibres Nutrient Agar, 1.5%	Recommended as a general purpose nutrient medium which can be used for cultivation of fastidious microorganisms after appropriate enrichment, in accordance with ISO Committee under specifications ISO/DIS 13720, 1995	500 gm	1584
VBDM-323	Vibres Nutrient Agar, pH 6.8	A general purpose nutrient medium for examination of water, sewage, faeces and other materials.	100 gm 500 gm	353 1495
VBDM-324	Vibres Nutrient Agar w/ 1% Peptone	A general culture medium which may be used as enriched medium by incorporating blood or other biological fluids.	100 gm 500 gm	363 1510
VBDM-325	Vibres Nutrient Agar Medium	A general culture medium which may be used as enriched medium by incorporating blood or other biological fluids in accordance with IP.	100 gm 500 gm	353 1495

Code No.	Product Name	Intended Use	Packing	Price /bottle
VBDM-326	Vibres Nutrient Broth	For general cultivation of less fastidious microorganisms, can be enriched with blood or other biological fluids.	100 gm 500 gm	268 1105
VBDM-327	Vibres Nutrient Broth w/ 1% Peptone	A sterility testing medium for aerobes.	100 gm 500 gm	272 1203
VBDM-328	Vibres Nutrient Broth Medium	A sterility testing medium for aerobes in accordance with IP.	100 gm 500 gm	272 1203
VBDM-329	Vibres Nutrient Broth w/ 1% Peptone	As a general purpose culture medium, in accordance with Indian Standard published by BIS under specifications IS 5887, (Part II, Part IV), 1976	100 gm 500 gm	272 1203
VBDM-330	Vibres OF Basal Medium	For differentiation of gram-negative bacteria on the basis of fermentative and oxidative metabolism of carbohydrates.	100 gm 500 gm	402 1609
VBDM-331	Vibres Ornithine Decarboxylase Broth	Recommended for detection of the ability of microorganisms to decarboxylate ornithine, in accordance with ISO Committee under specifications ISO S10273 : 1994	100 gm	1385

VBDM-332	Vibles Peptone Water	As all purpose growth medium and as a base for carbohydrate fermentation media, in accordance with Indian Standard published by BIS under specifications IS : 5887 (Part _) : 1976	100 gm 500 gm	363 1455
VBDM-333	Vibles Peptone Water w/ Phenol Red	Recommended for studying fermentation ability of <i>Yersinia enterocolitica</i> , in accordance with ISO Committee under specifications ISO/ DIS 10273, 1994	500 gm	1455
VBDM-334	Vibles Peptone Yeast Dextrose Agar	For cultivation of aquatic fungi like <i>Blastocladiella</i> species.	100 gm	799
VBDM-335	Vibles Phenol Red Agar Base	A basal medium to which carbohydrates may be added for use in fermentation studies of microorganisms.	500 gm	1737
VBDM-336	Vibles Phenol Red Dextrose Agar	For Dextrose fermentation studies of microorganisms.	500 gm	1737
VBDM-337	Vibles Phenol Red Mannitol Agar	For Mannitol fermentation studies of microorganisms.	500 gm	1978

Code No.	Product Name	Intended Use	Packing	Price /bottle
VBDM-338	Vibles Phenyl-alanine Agar	For differentiation of <i>Proteus</i> and <i>Providencia group</i> of organisms from other members of <i>Enterobacteriaceae</i> on the basis of their ability to form phenyl pyruvic acid from phenylalanine.	100 gm 500 gm	466 1866
VBDM-339	Vibles Pike Streptococcal Broth Base	For selective enrichment and cultivation of <i>Streptococci</i> from throat swabs and other clinical specimens.	100 gm 500 gm	442 1886
VBDM-340	Vibles Plate Count Agar (Standard Methods)	For determination of plate counts of microorganisms in food, water and wastewater.	100 gm 500 gm	369 1548
VBDM-341	Vibles Plate Count Agar	For determining plate counts of microorganisms in milk and dairy products by pour plate technique.	100 gm 500 gm	414 1739
VBDM-342	Vibles Potato Dextrose Agar	For isolation and enumeration of yeasts and moulds from dairy and other food products.	100 gm 500 gm	328 1461

VBDM-343	Vibles Potato Dextrose Agar	For cultivation of yeasts and moulds from dairy and other food products, in accordance with USP.	100 gm 500 gm	368 1490
VBDM-344	Vibles Potato Dextrose Agar	For cultivation of yeasts and moulds from dairy and other food products, in accordance with EP.	100 gm 500 gm	368 1490
VBDM-345	Vibles Reinforced Clostridia Agar	For the cultivation and enumeration of Clostridia and other anaerobes.	100 gm 500 gm	433 1731
VBDM-346	Vibles Reinforced Clostridia Broth	For cultivation and enumeration of Clostridia and other anaerobes.	100 gm 500 gm	433 1731
VBDM-347	Vibles Robinson's Cooked Meat Medium (R.C. Medium)	See Cooked Meat Medium.	100 gm 500 gm	442 1807
VBDM-348	Vibles SA Agar Base	For isolation, cultivation and differentiation of <i>Aeromonas hydrophilia</i> from foods based on starch hydrolysis in accordance with APHA	500 gm	2267

Code No.	Product Name	Intended Use	Packing	Price /bottle
VBDM-349	Vibles SIM Medium	For determination of hydrogen sulphide production, indole formation and motility of enteric bacilli.	500 gm	1504
VBDM-350	Vibles S.S Agar (Salmonella Shigella Agar)	For differential and selective isolation of <i>Salmonella</i> and <i>Shigella</i> species from pathological specimens, suspected foodstuffs etc.	100 gm 500 gm	353 1495
VBDM-351	Vibles Sabouraud Dextrose Agar	For cultivation of yeasts, moulds and aciduric microorganisms.	100 gm 500 gm	303 1406
VBDM-352	Vibles Sabouraud Dextrose Agar w/ 3.0% Agar	For cultivation of yeasts, moulds and aciduric microorganisms (withstands longer autoclaving upto 30 minutes).	500 gm	1750
VBDM-353	Vibles Sabouraud Dextrose Broth (Sabouraud Liquid Medium)	For cultivation of yeasts, moulds and aciduric microorganisms.	100 gm 500 gm	194 764

VBDM-354	Vibles Sabouraud Dextrose Broth	For cultivation of yeasts, moulds and aciduric microorganisms in accordance with USP.	100 gm 500 gm	225 1013
VBDM-355	Vibles Schaedler Agar	For enumeration of various aerobic and anaerobic bacterial species present in gastrointestinal tract. for Schaedler CAN Agar : add Vitamin K, Supplement (FD114) and CAN Supplement (FD115) for Schaedler KV Agar: add Vitamin K, Supplement (FD114) and KV Supplement (FD116) respectively to 100 ml of Schaedler Agar (M291).	500 gm	1723
VBDM-356	Vibles Schaedler Broth	For the enumeration of various aerobic and anaerobic bacterial species present in the gastrointestinal tract.	500 gm	1723
VBDM-357	Vibles Selenite Broth (Selenite F Broth) (Twin Pack)	An enrichment medium for isolation of <i>Salmonella</i> species from faeces, urine or other pathological materials.	100 gm 500 gm	509 2040
VBDM-358	Vibles Selenite Broth Base w/o Selenite	With addition of selenite it is used for enrichment of <i>Salmonella</i> species from food, dairy products, pathological materials.	500 gm	1736

Code No.	Product Name	Intended Use	Packing	Price /bottle
VBDM-359	Vibles Sheep Blood Agar Base	With addition of sheep blood, gives haemolytic reactions of organisms.	500 gm	1688
VBDM-360	Vibles Simmons Agar Base	A synthetic medium recommended for differentiation between faecal coliform and members of the aerogens group on the basis of citrate utilization.	100 gm	702
VBDM-361	Vibles Simmons Citrate Agar	For differentiating members of <i>Enterobacteriaceae</i> on the basis of citrate utilization.	100 gm 500 gm	372 1514
VBDM-362	Vibles Soya Peptone Yeast Extract Agar	For selective isolation of dematophytes especially <i>Trichophyton verrucosum</i> and other pathogenic fungi.	500 gm	1868
VBDM-363	Vibles Soyabean Casein Digest Agar	A general purpose medium used for cultivation of a wide variety of microorganisms and for Sterility testing in pharmaceutical procedures.	100 gm 500 gm	393 1571

VBDM-364	Vibles Soybean Casein Digest Agar Medium	A general purpose medium used for cultivation of a wide variety of microorganisms and for microbiological assay of different antibiotics in pharmaceutical procedures in accordance with USP.	100 gm 500 gm	393 1571
VBDM-365	Vibles Soybean Casein Digest Medium	A general purpose medium used for cultivation of a wide variety of microorganisms and sterility testing of moulds and lower bacteria in accordance with IP.	100 gm 500 gm	186 743
VBDM-366	Vibles Soybean Casein Digest Medium w/o Dextrose (Tryptone Soya Broth w/o Dextrose)	Recommended for cultivation of anaerobic microorganisms when the presence of carbohydrate is not desired.	500 gm	1489
VBDM-367	Vibles Stuart Transport Medium (Transport Medium, Stuart)	For preservation and transportation of <i>Neisseria</i> species and other fastidious organisms from clinic to the laboratory.	100 gm 500 gm	754 2913

Code No.	Product Name	Intended Use	Packing	Price /bottle
VBDM-368	Vibles Stuart Transport Medium w/o Methylene Blue	For routine transport of <i>Gonococcal</i> species and other fastidious organisms.	100 gm 500 gm	754 2913
VBDM-369	Vibles Stuart Transport Medium w/o Sodium Glycerophosphate	With addition of sodium glycerophosphate, medium is used for routine transport of <i>Gonococcal</i> species and other fastidious organisms.	100 gm 500 gm	415 1868
VBDM-370	Vibles Sulphite Agar	For detection of thermophilic sulphide producing anaerobes.	500 gm	1923

VBDM-371	Vibles TCBS Agar	For selective isolation and cultivation of <i>Vibrio cholerae</i> and other enteropathogenic <i>Vibrios</i> causing food poisoning.	100 gm 500 gm	449 1866
VBDM-372	Vibles Tetrathionate Brilliant Green Bile Broth	For isolation and identification of <i>Salmonellae</i> .	500 gm	1040
VBDM-373	Vibles Tetrathionate Bile-Brilliant Green Broth	For isolation and identification of <i>Salmonellae</i> in accordance with IP.	500 gm	1196
VBDM-374	Vibles Tetrathionate Broth Medium	An enrichment broth for isolation of <i>Salmonella</i> from specimens suspected to be conataminated with salmonellae in accordance with IP.	100 gm 500 gm	292 1236
VBDM-375	Vibles Thayer Martin Medium Base	For selective isolation of <i>Gonococci</i> from pathological specimens.	100 gm 500 gm	393 1638
VBDM-376	Vibles Thioglycollate Medium w/ CaCO₃	For maintenance of anaerobic cultures, particularly highly fermentative types.	500 gm	1196
VBDM-377	Vibles Thioglycollate Medium w/Hemin and Vitamin K	For routine cultivation of fastidious anaerobic microorganisms. Also used for blood culturing and studying fermentation reactions.	500 gm	1294

Code No.	Product Name	Intended Use	Packing	Price /bottle
VBDM-378	Vibles Thioglycollate Medium w/o Dextrose	For cultivation of aerobes, microaeophiles, anaerobes and for fermentation studies with various carbohydrates.	500 gm	1294
VBDM-379	Vibles Thioglycollate Medium w/o Indicator	See diagnostic Thioglycollate Medium	500 gm	1385
VBDM-380	Vibles Thiosulphate Agar	For sterility testing of pharmaceutical or biological products.	500 gm	1638
VBDM-381	Vibles Triple Sugar Iron Agar	For identification of gram-negative enteric bacilli on the basis of dextrose, lactose and sucrose fermentation and hydrogensulphide production.	100 gm 500 gm	328 1393

VBDM-382	Vibles Tryptone Agar	General purpose medium for growth of non-fastidious microorganisms.	500 gm	1723
VBDM-383	Vibles Tryptone Broth (Tryptone Water)	For detection of indole producing microorganisms.	100 gm 500 gm	309 1318
VBDM-384	Vibles Tryptone Dextrose Agar	For studying motility and fermentation of dextrose by aerobes as well as anaerobes.	500 gm	1978
VBDM-385	Vibles Tryptone Nitrate Medium	See indole Nitrate Medium.	100 gm 500 gm	351 1445
VBDM-386	Vibles Tryptone Soya Agar w/ added NaCl	A highly nutritious general purpose medium recommended for use when 1% sodium chloride is needed in the medium.	500 gm	1978
VBDM-387	Vibles Tryptone Water Tryptone Broth)	For detection of indole producing microorganisms.	100 gm 500 gm	309 1318
VBDM-388	Vibles Tryptone Water	Recommended for detection of indole production in accordance with ISO Committee under specifications ISO 9308-1: 1993.	500 gm	1638
VBDM-389	Vibles Tryptone Yeast Extract Agar	Recommended for estimation of microbial counts in water, in accordance with ISO Committee under specifications ISO 6222 : 1988	500 gm	2075

Code No.	Product Name	Intended Use	Packing	Price /bottle
VBDM-390	Vibles Tryptone Yeast Extract Agar w/ BCP	Recommended for isolation and enumeration of <i>Enterobacteriaceae</i> and <i>Bacillus cereus</i> , in accordance with ISO committee under specifications ISO 7402, 19993.	500 gm	2075
VBDM-391	Vibles Tryptone Yeast Extract Broth	See ISP Medium No : 1	100 gm 500 gm	1067 3405
VBDM-392	Vibles Tryptose Phosphate Broth	For cultivation of fastidious bacteria and as an adjuvant to tissue culture media.	500 gm	1463

VBDM-393	Vibles Urea Agar Base (Christensen (Autoclavable))	For detection of urease production, particularly by <i>Proteus vulgaris</i> , <i>Micrococci</i> and paracolon organisms.	100 gm 500 gm	386 1495
VBDM-394	Vibles Urea 40% (5ml per vial)	Used as supplement for urea Agar.	5 vI 5x5 vI	195 1550
VBDM-395	Vibles VP Medium	For isolation of <i>Vibrio parahaemolyticus</i> .	500 gm	2240
VBDM-396	Vibles Vibrio Agar	For selective cultivation of <i>Vibrio</i> species.	500 gm	1978
VBDM-397	Vibles Violet red Bile Agar	Recommended for selective isolation, detection and enumeration of coli-aerogenes bacteria in water, milk and other dairy food products, in accordance with Indian Standard published by BIS under specifications IS:5401-1969	100 gm 500 gm	366 1495
VBDM-398	Vibles Violet –Red Bile Agar with Glucose and Lactose	Recommended for selective isolation and enumeration of bile tolerant gram negative bacteria in accordance with USP.	500 gm	1580
VBDM-399	Vibles Wilkins Chalgren Anaerobic Broth Base	For cultivation and susceptibility testing of anaerobic bacteria.	500 gm	1707
VBDM-400	Vibles Willis and Hobb's Medium Base	For isolation and identification of Clostridium from food, in accordance with Indian Standard published by BIS under specifications IS : 5887 (Part IV)1976	500 gm	1965
VBDM-401	Vibles Wilson Blair Agar Base	With the addition of selective reagent used for the isolation of <i>Salmonella</i> serotype Typhi.	500 gm	1978

Code No.	Product Name	Intended Use	Packing	Price /bottle
VBDM-402	Vibles Xylose Lysine Agar Base	For isolation and identification of pathogenic enteric bacilli.	500 gm	1675
VBDM-403	Vibles Xylose Lysine Deoxycholate Agar (XLD Agar)	For selective isolation and enumeration of <i>Salmonella</i> serotype Typhi and other <i>Salmonella</i> species.	100 gm 500 gm	372 1495
VBDM-404	Vibles Yeast and Mould Broth	For isolation and cultivation of yeasts and moulds.	500 gm	1801

VBDM-405	Vibles Yeast Beef Agar	For detection of Pencillin-G in milk using <i>Bacillus stearothermophilus</i> .	500 gm	2081
VBDM-406	Vibles Yeast Extract Powder	Highly nutritive medium recommended for plate count of microorganisms in water.	100 gm 500 gm	303 1226
VBDM-407	Vibles Yeast Mannitol Agar w/ 1.5% Agar	For cultivation, isolation and enumeration of soil microorganisms like <i>Rhizobium</i> species.	500 gm	1840
VBDM-408	Vibles Yeast Mannitol Broth	For cultivation of <i>Rhizobium</i> species.	500 gm	1736
VBDM-409	Vibles Yersinia Enrichment Broth Base	For the enrichment of <i>Yersinia</i> species, in particular <i>Yersinia enterocolitica</i> from human and animal intestinal contents.	500 gm	1866
VBDM-410	Vibles Yersinia Isolation Agar	Recommended for selective isolation of <i>Yersinia</i> species from foods, in accordance with ISO Committee under specifications ISO 10273:1994	500 gm	1978

VIBLES ANTIMICROBIAL SUSCEPTIBILITY DISCS AND RINGS

Vibles Antimicrobial Susceptibility Discs are used for semi quantities testing of rapid growing microorganisms to antimicrobial agents by the agar diffusion technique. These discs are made from high quality absorbent paper which is impregnated with an accurately measured concentration of antibiotic and chemotherapeutic agent.

CODE NO.	ANTIMICROBIAL AGENT	CONCENTRATION	SYMBOL	PRICE FOR 50 DISCS IN RS.
AA 1297	Amikacin	30 mcg	AN	30.00
AA 1298	Amoxycillin	10mcg	AM	30.00

AA 1299	Amoxicillin	25 mcg	AM	30.00
AA 1300	Amoxicillin/Clavulanic Acid	20 / 10 mcg	AC	30.00
AA 1301	Ampicillin	10 mcg	A	30.00
AA 1302	Aziocillin	100 mcg	AZ	30.00
AA 1303	Bacitracin	30 mcg	B	30.00
AA 1304	Carbencillin	30 mcg	CB	30.00
AA 1305	Cefazolin	30 mcg	CF	30.00
AA 1306	Cefotaxime	30 mcg	CO	30.00
AA 1307	Ceftazidime	30 mcg	CZ	30.00
AA 1308	Ceftriaxone	30 mcg	CD	30.00
AA 1309	Cefuroxime	30 mcg	CE	30.00
AA 1310	Cephaloridine	30 mcg	CR	30.00
AA 1311	Cephalothin	30 mcg	CP	30.00
AA 1312	Chloramphenicol	30 mcg	CH	30.00
AA 1313	Cholotetracycline	30 mcg	CT	30.00
AA 1314	Ciprofloxacin	5 mcg	CI	30.00
AA 1315	Clindamycin	2 mcg	CL	30.00
AA 1316	Cloxacillin	1 mcg	CX	30.00
AA 1317	Colistin	10 mcg	CS	30.00
AA 1318	Cycloserine	200 mcg	CY	30.00
AA 1319	Dicloxacillin	200 mcg	DX	30.00
AA 1350	Doxycycline	30 mcg	DO	30.00
AA 1321	Erythromycin	15 mcg	E	30.00
AA 1322	Framycetin	100 mcg	FM	30.00
AA 1323	Furazolidone	50 mcg	F	30.00
AA 1324	Gentamicin	10 mcg	GM	30.00
AA 1325	Imipenem	10 mcg	I	30.00
AA 1326	Kanamycin	30 mcg	KM	30.00
AA 1327	Lincomycin	2 mcg	L	30.00
AA 1330	Methanamine Mandalate	3 mcg	MM	30.00
AA 1329	Methicillin	5 mcg	M	30.00
AA 1330	Metronidazole	5 mcg	ME	30.00
AA 1331	Minocycline	30 mcg	MI	30.00
AA 1332	Nalidixic Acid	30 mcg	NA	30.00
AA 1333	Neomycin	30 mcg	NE	30.00
AA 1334	Netilmicin	30 mcg	NT	30.00
AA 1335	Nitrofurantion	300 mcg	NI	30.00

**LIST OF VIBLES ANTIMICROBIAL SUSCEPTIBILITY DISCS
AND RINGS**

CODE NO.	ANTIMICROBIAL AGENT	CONCENTRATI ON	SYMBOL	PRICE FOR 50 DISCS IN RS.
AA 1336	Norfloxacin	10 mcg	NO	30.00
AA 1337	Novobiocin	30 mcg	NB	30.00
AA 1338	Nystatin	100 units	NY	30.00
AA 1339	Ofloxacin	5 mcg	OF	30.00
AA 1340	Oleandomycin	15 mcg	O	30.00
AA 1341	Oxacillin	5 mcg	OX	30.00
AA 1342	Oxytetracycline	30 mcg	OT	30.00
AA 1343	Pefloxacin	5 mcg	PF	30.00

AA 1344	Pencillin G	2 units	P	30.00
AA 1345	Pencillin G	10 units	P	30.00
AA 1346	Piperacillin	100 mcg	OO	30.00
AA 1347	Polymyxin B	300 units	PB	30.00
AA 1348	Rifampcin	5 mcg	R	30.00
AA 1349	Sisomycin	10 mcg	SI	30.00
AA 1350	Spiramycin	30 mcg	SP	30.00
AA 1351	Streptomycin	10 mcg	SM	30.00
AA 1352	Sulfadiazine	300 mcg	SU	30.00
AA 1353	Sulpaphenazole	300 mcg	SM	30.00
AA 1354	Sulphaphenazole	200 mcg	SX	30.00
AA 1355	Tetracycline	30 mcg	TE	30.00
AA 1356	Ticacillin	75 mcg	TC	30.00
AA 1357	Tobramycin	10 mcg	TO	30.00
AA 1358	Trimethoprim	5 mcg	TM	30.00
AA 1359	Triple sulpha	300 mcg	SS	30.00
AA 1360	Vancomycin	30 mcg	V	30.00
AA 1491	Cephalexin	30 mcg	CR	30.00
AA 1492	Sparfloxacin	5 mcg	MM	30.00
AA 1493	Azithromycin	15 mcg	AT	30.00
AA 1494	Cefaclor	30 mcg	KF	30.00

VIBLES ANTIMICROBIAL RINGS

AA 1500	Vibles Gram Negative Rings (Amikacin, Co-trimoxazole, Cefotaxime, Ampicillin, Piperacillin, Carbencillin, Ciprofloxacin, Gentamicin, Sparfloxacin, Gatifloxacin, Cephaloridine, Levofloxacin)	(12 Rings)	110/-
AA 1501	Vibles Gram Positive Rings (Gentamicin, Clindamicin, Erythromycin, Pencillin G, Cloxacillin, Tetracycline, Vancomycin, Ofloxacin, Cefaclor, Co-trimoxazole, Neomycin, Cephaloridine)	(12 Rings)	110/-
AA 1502	Vibles Urinary Tract Infections (Pefloxacin, Nitrofurantoin, Norfloxacin, Co-trimoxazole,	(12 Rings)	110/-

Cefotaxime, Ceftazidime, Carbencillin, Amikacin,
Cephaloridine, Ampicillin, Gentamicin)

VIBLES READY-TO-USE MEDIA FOR SINGLE PETRIPLATE PREPARATION

CODE NO.	PRODUCT	DESCRIPTION	PACK SIZE	PRICE
VSP001	MacConkey Agar	MacConkey Agar is used in the isolation and differentiation of coliform bacteria.	10X15 ml.	150/-
VSP002	MacConkey Broth	Is used for detection of coliform organisms in milk, water and foods etc.,	10X15 ml.	150/-
VSP003	Nutrient Agar	General Culture Media used for enumeration of organisms in water Feces and other clinical Materials	10X15 ml.	150/-
VSP004	Nutrient Broth	Used for cultivation of fastidious microorganisms	10X15 ml	150/-
VSP005	Muller Hinton Agar	Muller Hinton Agar is recommended for antibiotic susceptibility medium and also preferred for primary isolation of <i>Gonococci</i> and <i>Meningococci</i>	10X15 ml	150/-
VSP006	CLED Agar	Most preferred medium for urinary isolates and for differentiation and colony count of the organisms.	10X15 ml	150/-
VSP007	S.S. Agar	A highly selective medium use for isolating <i>Salmonella</i> and <i>Shigella</i> .	10X15 ml	150/-
VSP008	Sabourauds Dextrose Agar	Used for cultivation and growth of fungi	10X15 ml	150/-
VSP009	LJ Medium	Ready-to-use LJ Medium Slants recommended for isolation, cultivation and differentiation of <i>Mycobacterium tuberculosis</i> .	2X15 ml	50/-
VSP010	Loeffler Medium	Loeffler Medium is used for cultivation of <i>Corynebacterium diphtheriae</i> from clinical specimen	2X15 ml	125/-
VSP011	Pseudomonas Agar	Pseudomonas Agar is used for the detection and differentiation of <i>Pseudomonas aeruginosa</i> on the basis of pigment production.	10X15 ml	150/-

CODE NO.	PRODUCT	DESCRIPTION	PACK SIZE	PRICE
VSP012	Blood Agar Base	Suitable for isolation of <i>Pneumococci</i> , <i>Streptococci</i> and other fastidious microorganisms.	10X15 ml	150/-
VSP013	Brain Heart Infusion Broth	Is used for cultivation of fastidious microorganisms incl. <i>Streptococci</i> and <i>Meningococci</i> .	10X15 ml	150/-
VSP014	Cary and Blair Transport Medium	Cary and Blair Transport Medium Is used for collection and shipment of clinical specimens.	10X15 ml	150/-
VSP015	Peptone Water	Is used for cultivating non fastidious organisms for studying Carbohydrate	15X5 ml	80/-

		fermentation patterns and for performing indole tests. This medium is also used for growing bacteria for sensitivity testing.		
VSP016	Selenite Broth	Used for enriching members of the <i>Salmonella</i> group	10X10 ml	125/-
VSP017	Simmons Citrate Agar	Is used for differentiation and identification of enterobacteriaceae on the basis of citrate utilization.	10X10 ml	150/-

LIST OF VIBLES READYMADE STAINS

Vibles Ready made stains are manufactured from the raw materials available from best sources. Each batch of stain is tested for the quality control.

CODE NO.	PRODUCT	PACKING	PRICE IN RS
RS 1399	Vibles Readymade Stain Sets Vibles Grams Stain Set :- Contains Grams Crystal violet, Grams Decoloriser and Grams Iodine, Safranin 0.5% Gram counter stain.	1 Kit	225/-
RS 1400	Vibles Loeffler Stain Set Contains solution A and solution B	1 kit	225/-
RS 1401	Vibles Ziehl Nelsen Acid Fast Stain Set :- (For <i>Actinomyces</i>) Contains Carbol Fuschin solution, Acid Fast decoloriser, Methylene Blue counter stain.	1 Kit	225/-
RS 1402	Vibles Ziehl Neelsen Acid Fast Stain Set :- (For <i>Mycobacteria</i>) Contains Carbol Fuschin solution, Decoloriser Methylene Blue as counter stain.	1 Kit	225/-

VIBLES LAB CHEMICALS

. Fine Chemicals. Organic Solvents . Mineral Acids .

CODE	PRODUCT	PACK SIZE	PRICE RS.
VC001	Vibles Benedict's Reagent	500ml./ 5 lit	70.00 / 430.00
VC002	Vibles Barium Chloride 10% Solution	500ml.	110.00
VC003	Vibles Carbol Fuschin	125 ml. / 500 ml.	90.00 / 410.00
VC004	Vibles EDTA Dipotassium Powder	100gm.	225.00
VC005	Vibles EDTA Disodium Powder	100gm.	125.00
VC006	Vibles Field Stain A	125 ml. / 500 ml.	80.00 / 275.00
VC007	Vibles Field Stain B	125 ml. / 500 ml.	80.00 / 275.00
VC008	Vibles Fouchet's Reagent	125 ml.	110.00

VC009	Vibles Hydrochloric Acid N/10	500 ml.	110.00
VC010	Vibles Lugol's Iodine Solution	125 ml.	90.00
VC011	Vibles Methylene Blue	125 ml.	90.00
VC012	Vibles EDTA 5%	100/500 ml.	75.00/130.00
VC013	Vibles Kovac's Reagent	100 ml.	175.00
VC014	Vibles Potassium Hydroxide 10%	5x4ml.	75.00
VC015	Vibles Potassium Hydroxide 40%	100 / 500 ml	90.00 / 410.00
VC016	Vibles Potassium Oxalate 5%	100 / 500 ml.	90.00 / 410.00
VC017	Vibles Sodium Floride	100 / 500 ml.	90.00 / 410.00
VC018	Vibles Albert Stain A	100 / 500 ml	90.00 / 410.00
VC019	Vibles Albert Stain B	100 / 500 ml	90.00 / 410.00
VC020	Vibles Gram Crystal Violet	100 / 500 ml	90.00 / 410.00
VC021	Vibles Grams Iodine	100 / 500 ml	90.00 / 410.00

VIBLES LAB CHEMICALS

CODE	PRODUCT	PACK SIZE	PRICE RS.
VC022	Vibles Platelet Diluting Fluid	125 ml.	90.00
VC023	Vibles Sodium Citrate 3.8 % Solution	500 ml.	90.00
VC024	Vibles W.B.C. Diluting Fluid (Trucks)	500 ml.	90.00

MISCELLANEOUS

CODE	PRODUCT	PACK SIZE	PRICE RS.
M 1477	Vibles- Cul- Samplers with Transport Media	1 Swab Stick with 1 transport Media tube (40 Packs)	180.00

Vibles - Cul-Samplers	Individually packed sterilized swab sticks (40 Pcs)/100 Pcs	80/- / 190/-
------------------------------	---	--------------

VIBLES READY TO USE TUBERCULOSIS TESTING SLANTS / KITS

L.J Medium Kits

CODE NO.	PRODUCT NAME	INTENDED USE	PACKING	PRICE /BOT-TLE
VBLJM-001	Modified Middlebrook 7H9 Broth with Indicator	For detection of <i>Mycobacterium tuberculosis</i>	25X5ml 50x5ml	1634 2614
VBLJM-002	L.J Medium Slant	For cultivation of <i>Mycobacterium</i>	2 slants 10 slants	50 475

		tuberculosis		
VBLJM-003	L.J Medium Slants w/o Glycerol	For cultivation of <i>Mycobacterium tuberculosis</i> for resistance testing.	10 slants 20 slants	472 926
VBLJM-004	L.J Medium Slant w/ Capreomycin (20 ug/ml)	For cultivation of <i>Mycobacterium tuberculosis</i> and for resistance testing.	10 slants 20 slants	527 1041
VBLJM-005	L.J Medium Slant w/ Capreomycin (40 ug/ml)	For cultivation of <i>Mycobacterium tuberculosis</i> and for resistance testing.	10 slants 20 slants	527 1041
VBLJM-006	L.J Medium Slant w/D-Cycloserine (30 ug/ml)	For cultivation of <i>Mycobacterium tuberculosis</i> and for resistance testing.	10 slants 20 slants	527 1041
VBLJM-007	L.J Medium Slant w/D-Cycloserine (40 ug/ml)	For cultivation of <i>Mycobacterium tuberculosis</i> and for resistance testing.	10 slants 20 slants	527 1041
VBLJM-008	L.J Medium Slant w/Kanamycin (20 ug/ml)	For cultivation of <i>Mycobacterium tuberculosis</i> and for resistance testing.	10 slants 20 slants	527 1041
VBLJM-009	L.J Medium Slant w/Kanamycin (30 ug/ml)	For cultivation of <i>Mycobacterium tuberculosis</i> and for resistance testing.	10 slants 20 slants	527 1041
VBLJM-010	L.J Medium Slant w/Ofloxacin (2 ug/ml)	For cultivation of <i>Mycobacterium tuberculosis</i> and for resistance testing.	10 slants 20 slants	527 1041
VBLJM-011	L.J Medium Slant w/ p-Aminosalicylic acid (0.25ug/ml)	For cultivation of <i>Mycobacterium tuberculosis</i> and for resistance testing.	10 slants 20 slants	527 1041

VIBLES READY TO USE TUBERCULOSIS TESTING SLANTS / KITS

L.J Medium Kits

CODE NO.	PRODUCT NAME	INTENDED USE	PACKIN G	PRICE /BOTTLE
VBLJM-012	L.J Medium Slant w/ p-Aminosalicylic acid (0.5 ug/ml)	for cultivation of <i>Mycobacterium tuberculosis</i> and for	10 slants 20 slants	527 1041

		resistance testing.		
VBLJM-013	L.J Medium Slant w/ p-Nitrobenzoic acid (500 ug/ml)	for cultivation of Mycobacterium tuberculosis and for resistance testing.	10 slants 20 slants	527 1041
VBLJM-014	Dorset Egg Medium Slant	For growth of Mycobacterium Tuberculosis	10 slants 25 slants	472 926
VBLJM-015	Tuberculosis First Line Kit (Total 7 slants)	containing five antitubercular drugs (Isoniazide, Streptomycin, Ethambutol, Rifampicin, Pyrazinamide) + 2 controls.	Kit	406
VBLJM-016	Tuberculosis First Line Kit (Total 7 slants)	containing five antitubercular drugs (Isoniazide, Streptomycin, Ethambutol, Rifampicin, Pyrazinamide) + 2 controls.	Kit	483

VIBLES READY- TO- USE MEDIA PLATES

CODE NO.	PRODUCT NAME	INTENDED USE	PACKIN G	PRICE /BOTTLE
VBRPM-01	Cetrimide Agar Plate	For selective isolation of <i>Pseudomonas aeruginosa</i> from clinical specimens.	10 Plts 20 Plts	627 1200
VBRPM-02	Chocolate Agar Plate	For isolation of <i>Neisseria gonorrhoeae</i> from chronic and acute cases of Gonococcal infections.	10 Plts 20 Plts	627 1200
VBRPM-03	EMB Agar Plate	For differential isolation of gram-	10 Plts	784

		negative enteric bacilli from clinical and nonclinical specimens.	20 Plts	1764
VBRPM-04	EMB Agar, Levine Plate	For isolation, enumeration and differentiation of members of Enterobacteriaceae.	10 Plts 20 Plts	784 1500
VBRPM-05	MacConkey Agar w/o CV, NaCl w/ 0.5% Sodium Taurocholate Plate	For cultivation and differentiation of enteric bacteria, restricting swarming of <i>Proteus</i> species from specimens such as urine which may contain large number of <i>Proteus</i> species as well as potentially pathogenic gram-positive organisms	10 Plts 20 Plts	471 950
VBRPM-06	MacConkey Agar w/ 0.15% Bile Salts, CV and NaCl Plate.	For selective isolation and differentiation of coliform organisms and other enteric pathogens.	10 Plts 20 Plts	471 950
VBRPM-07	Mannitol Salt Agar Plate	For selective isolation of pathogenic <i>Staphylococci</i> .	10 Plts 20 Plts	471 950
VBRPM-08	Mueller Hinton Agar Plate	For cultivation of <i>Neisseria</i> and for determination of susceptibility of microorganisms to antimicrobial agents.	10 Plts 20 Plts	523 1020
VBRPM-09	Mueller Hinton Agar No. 2 Plate	For growing bacteria using antimicrobial discs by the testing susceptibility of common and rapidly growing bacteria using antimicrobial discs by the Bauer-Kirby Method.	10 Plts 20 Plts	523 1020
VBRPM-10	Nutrient Agar Plate	A general purpose medium used for cultivation of wide variety of microorganisms	10 Plts 20 Plts	471 950
VBRPM-11	Plate Count Agar Plate	determination of plate counts of microorganisms in foods, water and waste water.	10 Plts 20 Plts	471 950
VBRPM-12	Potato Dextrose Agar Plate	For isolation and enumeration of yeasts and moulds from dairy and other food products.	10 Plts 20 Plts	471 950
VBRPM-13	S.S Agar (Salmonella Shigella Agar) Plate	For differential and selective isolation of Salmonella and Shigella species from pathological specimens, suspected foodstuffs etc.	10 Plts 20 Plts	627 1200
VBRPM-14	Sabouraud Chloramphenicol Agar Plate	For selective cultivation of yeasts and moulds.	10 Plts 20 Plts	627 1200
VBRPM-15	Sabouraud Dextrose Agar Plate	For cultivation of yeasts, moulds and aciduric microorganisms.	10 Plts 20 Plts	471 950
VBRPM-16	Sheep Blood Agar Plate	Used for cultivation of fastidious organisms and studying haemolytic reactions. It provides improved and enhanced	10 Plts 20 Plts	726 1420

		haemolysis.		
VBRPM-17	Tryptone Soya Agar Plate (Soyabean Casein Digest Agar Plate)	A general purpose medium used for cultivation of a wide variety of microorganisms.	10 Plts 20 Plts	471 950
VBRPM-18	Violet Red Bile Agar Plate	For selective isolation, detection and enumeration of coli-aerogenes bacteria in water, milk and other dairy, food products.	10 Plts 20 Plts	627 1200
VBRPM-19	Xylose Lysine Deoxycholate Agar (XLD Agar) Plate	for selective isolation and enumeration of Salmonella serotype Typhi and other Salmonella species.	10 Plts 20 Plts	627 1200

VIBLES READY-TO-USE MEDIA IN TUBES

Code	Product	Intended Use	Packing	Price in Rs.
VBRTU-01	OF Medium w/ Dextrose	For differentiation of gram-negative bacteria on the basis of fermentative and oxidative metabolism of Dextrose	25 x 5 ml 15 x 5 ml	303 110
VBRTU-02	Alkaline Peptone Water	For enrichment of Vibrio species	25 x 5 ml 15 x 5 ml	303 515
VBRTU-03	Selenite Broth	An enrichment medium for	25 x 5 ml	766

		isolation of Salmonella species from faeces, urine or other pathological materials.	15 x 5 ml	1265
VBRTU-04	Nutrient Broth	For general cultivation of less fastidious microorganisms	25 x 5 ml 15 x 5 ml	333 567
VBRTU-05	Brain Heart Infusion Broth	For propagation of pathogenic cocci and other fastidious organisms associated with blood culture work and allied pathological investigations	25 x 5 ml 15 x 5 ml	303 515
VBRTU-06	Bile Broth	For cultivation of members of the Enterobacteriaceae	25 x 5 ml 15 x 5 ml	484 787
VBRTU-07	Cooked Meat Medium	For cultivation of aerobes and anaerobes, especially pathogenic Clostridia and also for the maintenance of stock cultures.	25 x 5 ml 15 x 5 ml	484 787
VBRTU-08	Indole Nitrate Broth	For identification of microorganisms by means of nitrate reduction and indole production.	25 x 5 ml 15 x 5 ml	358 569
VBRTU-09	MR-VP Broth (Glucose Phosphate Broth)	For studying MethylRed and Voges Proskauer tests to differentiate amongst coli-aerogenes group.	25 x 5 ml 15 x 5 ml	303 515
VBRTU-10	Nitrate Broth	For detection of nitrate reduction by bacteria.	25 x 5 ml 15 x 5 ml	303 515
VBRTU-11	Tryptophan Solution	Recommended for detection of indole production.	25 x 5 ml 15 x 5 ml	303 515
VBRTU-12	Tetrathionate Broth	Selective enrichment medium for isolation of Salmonella from foods and other pathological materials.	25 x 5 ml 15 x 5 ml	451 721
VBRTU-13	Peptone Water	All purposes growth medium and as the base of carbohydrate fermentation media.	25 x 5 ml 15 x 5 ml	303 515
VBRTU-14	Koser's Citrate Medium	To differentiate Escherichia coli and Enterobacter aerogenes on the basis of citrate utilization.	25 x 5 ml 15 x 5 ml	303 515

VIBLES READY-TO-USE MEDIA IN TUBES

Code	Product	Intended Use	Packing	Price in Rs.
VBRTU-15	MIU Medium	for detection of motility, urease and indole production.	25 x 5 ml 50 x 5 ml	349 592
VBRTU-16	Kligler Iron Agar Slant	for differential identification of gram-negative enteric bacilli on the basis of the fermentation of dextrose, lactose and H ₂ S	10 Slants 25 Slants	191 454

		production.		
VBRTU-17	L.M. Slant (Loeffler Medium)	for cultivation of Corynebacteria, especially Corynebacterium diphtheriae.	10 Slants 25 Slants	527 1041
VBRTU-18	Motility Indole Lysine Agar Slant	for identification members of Enterobacteriaceae on the basis of motility, lysine decarboxylase, lysine deaminase and indole production.	10 Slants 25 Slants	229 545
VBRTU-19	Simmons Citrate Agar Slant	for differentiating members of Enterobacteriaceae on the basis of citrate utilization	10 Slants 25 Slants	191 454
VBRTU-20	Urea Agar Slant	for detection of urease production, particularly by Proteus vulgaris Micrococci and paracolon organisms.	10 Slants 25 Slants	210 499
VBRTU-21	Sabouraud Dextrose Agar Slant	for cultivation of yeasts, moulds and aciduric microorganisms.	10 Slants 25 Slants	191 454
VBRTU-22	Nitrate Agar Slant	for detection of nitrate reducing bacteria.	10 Slants 25 Slants	229 545
VBRTU-23	Phenyl Alanine Agar Slant	For differentiation of Proteus and Providencia group of organisms from other members of Enterobacteriaceae on the basis of their ability to form phenyl pyruvic acid from phenylalanine.	10 Slants 25 Slants	382 908
VBRTU-24	Triple Sugar Agar Slant	For identification of gram-negative enteric bacilli on the basis of dextrose, lactose and sucrose fermentation and hydrogen sulphide production.	10 Slants 25 Slants	191 454

VIBLES
READY- TO- USE MEDIA
IN 100 ML BOTTLES

Code	Product	Intended Use	Packing in Rs.	Price
	Brain Heart Infusion Agar	Recommended for cultivation of fastidious pathogens bacteria, yeasts and moulds.	1x100 ml 6x100 ml	40 220
	Brain Heart Infusion	recommended for propagation	1x100 ml	219

	Broth	of pathogenic cocci and other fastidious organisms associated with blood culture work and allied pathological investigations.	6x100 ml	713
	MacConkey Agar	recommended for cultivation and differentiation of enteric bacteria, restricting swarming of Proteus species from specimens such as urine which may contain large number of Proteus species as well as potentially pathogenic gram positive organisms.	1x100 ml 6x100 ml	183 807
	Muller Hinton Agar	recommended for cultivation of Neisseria and for determination of susceptibility of microorganisms.	1x100 ml 6x100 ml	183 807
	Nutrient Agar	recommended as general culture medium for cultivation of less fastidious microorganisms.	1x100 ml 6x100 ml	162 713
	Plate Count Agar	Recommended for determination of plate counts of microorganisms in food, water and waste water specimens.	1x100 ml 6x100 ml	183 771
	Potato Dextrose Agar	recommended for isolation and enumeration of yeasts and moulds from dairy and other products.	1x100 ml 6x100 ml	183 771
	Sabouraud Dextrose Agar	for cultivation of yeasts, moulds and aciduric microorganisms.	1x100 ml 6x100 ml	807
	Soyabean Casein Digest Agar	recommended as a general purpose medium for cultivation of wide variety of microorganisms.	1x100 ml 6x100 ml	183 771
	Violet Red Bile Glucose Agar	for selective isolation, detection and enumeration of coli-aerogens bacteria in water, milk and other dairy food products.	1x100 ml 6x100 ml	317